



TRUSTED LOAD SAFETY.





## WHAT MAKES US UNIQUE?

### Innovation

Our R&D department is consistently going strong – our product range doesn't stay still! Quick to act, fast to invent – keep up with our ever expanding product range to make your life in Transport easier.

### Product quality

We don't settle for second best! We always ensure our products are manufactured to the highest quality and are all rigorously tested to each relevant standard for your total peace of mind.

### Rapid response

Needs must. Our quick and efficient team will answer your enquiries immediately. Before you know it your requirements will be fulfilled and the stock will be on its way.

### Friendly service

Our great friendly team will always be willing and happy to assist with your request. We love our products and we love what we do. First and foremost, we love our customers.

MADE IN THE UK









7

Ratchet Straps




25

Edge Protection




31

Working at Height




45

Kites, Nets & Tarpaulins



51

Lifting



55

Chains & Loadbinders




59

Internal Loadlock



63

Export



67

Yard/Onboard Safety



## What DVSA say...

A secure load is attached to the vehicle so that it will not fall off or affect vehicle stability and pose a risk of danger or injury to other road users.

**The Road Vehicles (Construction and Use) Regulations 1986 state that...**

'the weight, distribution, packing and adjustment of the load of such vehicle or trailer shall at all times be such, that no danger is caused or is likely to be caused to any person in or on the vehicle or trailer or on a road.'

### DVSA'S ENFORCEMENT

We will issue a prohibition and fixed penalty of £100 for any load found to be insecure.



## What the HSE say...

- The Road Traffic Act says that anyone who causes or permits a vehicle to be loaded, may be held responsible if the load is dangerous
- If a load is properly restrained, on a stationary tipping truck or trailer, it will not dislodge, even when the deck is fully tilted
- A 'curtain-side' cannot restrain a load properly unless it is part of a certified load restraint system
- If a load falls off a vehicle travelling at 100 km/h and is hit by a vehicle travelling in the opposite direction at 100 km/h, it has the same impact as the load travelling at 200 km/h and hitting the vehicle when it is stationary
- Low friction is high risk!

# The Blue Label

A two part Ratchet Strap must have an individual label sewn into each part to conform with the UK and European standard.

This secures all the critical identification in case of an incident. Ratchet Straps do not comply with EN12195-2:2001 without a legible intact data label securely sewn to all detachable sections. Furthermore all labels should have a stitched-in portion which is covered by webbing and can be exposed by unpicking the webbing in the event of an incident where the actual data label has become detached.

CARGOSTOP	Your fully EN compliant Load Restraint provider
CONTACT DETAILS	Instant reference for replacement stock
WEBSITE	Find out more about us, our products and services
CODE	Our unique product code for reordering
LENGTH	This relates to the fixed or adjustable end
LC 2000daN	The Lashing Capacity when used for Direct Lashing
BF 5000daN	The Breaking Force when used for Direct Lashing
SHF	The Standard Hand Force applied by the user
STF	Standard Tension Force is crucial for Frictional Lashing
ELONGATION	Maximum webbing stretch factor as required by EN12195-2:2001
BS EN12195-2:2001	The European Standard to which our straps fully conform
BATCH NUMBER	This ensures traceability as required by EN12195-2:2001
DATE	Date of manufacture
100% POLYESTER	As required by EN12195-2:2001
NOT FOR LIFTING	As required by EN12195-2:2001
CARGOCYCLE	Our green commitment to recycling

**CargoStop.**  
TRUSTED LOAD SAFETY.

T: +44 (0) 1206 22 44 44  
E: sales@cargo-stop.com  
W: www.cargo-stop.com

Code: SF/55010/C/O  
Length: 9.7m

LC2500daN  
BF5000daN  
SHF 50daN STF 350daN

Elongation: <7% at LC  
BS EN12195-2:2001

BATCH NO: WO00728  
Date: 12.10.23

100% Polyester  
**NOT FOR LIFTING**



Made in United Kingdom

BE PART OF OUR SCHEME  
TO HELP THE ENVIRONMENT.  
RETURN YOUR DAMAGED  
STRAPS TO CARGOSTOP  
FOR RECYCLING

**CargoCycle.**  
TRUSTED CARGOSTOP RECYCLING.

**CargoStop.**

T: +44 (0) 1206 22 44 44  
E: sales@cargo-stop.com

SF/55010/C/O  
LC2500daN  
Material: PES  
Date: 12.10.23  
Batch No: WO00728  
BS EN12195-2:2001

## Long life labels

We use a heavy duty vinyl which resists tear out.  
This in turn increases the legal longevity of CargoStraps.



We also sew in a second  
safety instructions label.



# RATCHET STRAPS

7

100% Polyester  
**NOT FOR LIFTING**  
Made in United Kingdom  
BE PART OF OUR SCHEME  
TO HELP THE ENVIRONMENT.  
RETURN YOUR DAMAGED  
STRAPS TO CARGO STOP  
FOR RECYCLING.  
Cargo Cycle

**CargoStop**  
F: +44 (0) 1206 22 44 44  
E: sales@cargo-stop.com  
W: www.cargo-stop.com  
Code: SF-28010-C/O  
Length: 9.7m  
LC2500daN  
EPC2000daN  
SHF 50daN STF 350daN  
Elongation: ~7% at LC  
CE: CAU 0446-5-0001

**CargoStop**®

TRUSTED LOAD SAFETY.

# RATCHET STRAPS


## Light Duty CargoStraps 700kg / 25mm

- Webbing width 25mm
- LC 350 daN
- Product codes:
  - SF/0.7254/C 4mtr
  - SF/0.7256/C 6mtr



## Medium Duty CargoStraps 2 Tonne / 35mm

- Webbing width 35mm
- LC 1000 daN
- Product codes:
  - SF/2354/C 4mtr
  - SF/2356/C 6mtr





## Heavy Duty CargoStraps 5 Tonne / 50mm

To comply with the European Standard EN12195-2:2001, the breaking strain of the webbing on a 5Tonne rated strap is 7.5Tonne. Popular in the steel haulage industry where the thicker webbing is more resistant to abrasion. 5Tonne straps are also obligatory in some European countries. Unique double sprocket ratchet for additional strength.


- Webbing width 50mm
- LC2500 daN
- Webbing breaking strain is 7500kg



Open Rave Hook

➤ Product codes:

SF/5504/C	4m	Claw Hook
SF/5506/C	6m	Claw Hook
SF/5508/C	8m	Claw Hook
SF/5508/OR	8m	Open Rave
SF/55010/C	10m	Claw Hook
SF/55010/OR	10m	Open Rave
SF/55012/C	12m	Claw Hook
SF/55015/C	15m	Claw Hook



## Ultra Heavy Duty CargoStraps 10 Tonne / 75mm

These CargoStraps are popular with heavy plant lashing operations. Often regarded as a lighter, quicker and cleaner alternative to Chains and Loadbinders.

- Webbing width 75mm
- LC 5000 daN
- Product codes:
 

SF/10758/C	8m
SF/107510/C	10m



# RATCHET STRAPS

## Crane Securing CargoStrap 5 Tonne / 50mm x 6m

- Webbing width 50mm
- LC2500daN
- Designed to secure on board cranes to prevent movement when in transit
- Printed with CRANE SECURING ONLY
- C/w Hook-and-keeper end fittings. These special end fittings will stay connected to a lashing ring or loop as a safety feature, even if the strap itself loses tension
- 300mm tail on the ratchet
- Product code: TP/SF/5506/HKCS



Hook-and-keeper



## Flat Snap Hook CargoStrap 5 Tonne / 50mm x 8m

- 50mm webbing
- LC 2500 daN
- 600mm tail on the ratchet
- The ultra slim profile of the Flat Snap Hook allows it to be used in very narrow spaces – i.e. between pallets.
- Product code: TP/SF/5508/FSP



## Hook & Keeper CargoStrap 5 Tonne / 50mm x 8m

- 50mm webbing
- LC 2500 daN
- C/w Hook-and-keeper end fittings. These special end fittings will stay connected to a lashing ring or loop as a safety feature, even if the strap itself loses tension
- 300mm tail on the ratchet
- Product code: TP/SF/5508/HKR



Hook-and-keeper





## Fall Arrest Strap 2 Tonne / 50mm x 4m

These Fall Arrest Straps, also known as Guard Rail Barrier Straps, have an Over Centre Buckle instead of a Ratchet. This avoids over tensioning. They are an essential requirement to safeguard operatives from falls whilst working at height on the truck bed. We also manufacture tested and approved fixing points for Fall Arrest straps which can be welded to the back and front of the loading area – contact us for more details.

- 2Tonne 4metre strap
- Printed with 'FALL ARREST PROTECTION ONLY'
- Over Centre Buckle and Twisted Snap Hook end fittings are attached to a fixed point at each end of the truck bed at around 1.0m from the floor to provide a safety rail.
- Alternative lengths can be made to order if required.
- Product code: SFAOCB/2504/TS



**Please note:** These straps are specifically designed for fall protection and should not be used for load lashing.

## Ratchet Type Timber Strap 25mm x 7m

- 25mm webbing
- LC 1000 daN
- 7 metre endless strap
- Product code: SER/1257



## Cambuckle Type Timber Strap 35mm x 5m

- 35mm webbing
- LC 1000 daN
- 5 metre endless strap
- Product code: SECB/0.6355



# RATCHET STRAPS


## Ergo CargoStrap 5 Tonne / 50mm x 10m

- Webbing width 50mm
- LC 2500 daN
- STF: 500 daN
- Increased STF enables greater tension to be achieved. This is especially useful when securing stacks of sheet material.
- Operates in opposite direction to conventional ratchet and are orthopedically proven to reduce muscular strain
- Product codes:  
SERF/55010/OR    Open Rave    10m  
SERF/55010/C    Claw Hook    10m



## Standard Ratchet Only 5 Tonne / 50mm x 300mm

- Webbing width 50mm
- LC 2000 daN
- Ratchet complete with short tail and claw hook
- Fully compliant with EN12195-2:2001
- Product code: SR/5500.3/C



## Tail End Only 5 Tonne / 50mm x 10m

- Webbing width 50mm
- LC 2500 daN
- Open rave
- Product code:  
ST/55010/OR    Open Rave    10m  
ST/55010/C    Claw Hook    10m



Other lengths and strengths  
available on request



SCAN HERE  
TO FIND OUT  
MORE ABOUT  
CARGOSTOP  
RATCHET STRAPS



# INTRODUCING **ECOSTRAP**

**We are excited to introduce a long-awaited, groundbreaking new addition to our product portfolio... the EcoStrap.**

We have harnessed cutting-edge technology to produce heavy duty webbing entirely comprised from 100% recycled polyester.

Performance remains at the core of our offering. Rest assured; these straps have undergone rigorous testing to not only meet but exceed industry standards.

At CargoStop we are dedicated to innovation while upholding our commitment to environmental responsibility.

The EcoStrap marks a significant stride in our journey towards sustainability.



By using EcoStraps, you are endorsing not just a product, but a sustainable mindset.



We will donate 10p to The Woodland Trust charity for every strap sold.



**WOODLAND**  
TRUST

# RATCHET STRAPS



## Car Transporter Straps 3 Tonne / 50mm

Our car transporter straps are designed for single and double deck car transporters with tracking or punched decks.


- Webbing width 50mm
- LC 1500 daN
- Heavy Duty straps
- Narrow claw to fit into the pre punched holes on the decking floor or tracking
- Super Duty Wear Sleeve with chunky rubber grip to fit over the tyre
- Tail straps have rubber wear pads sewn through the hook for ultimate longevity
- Extra short handled Ratchet fits under car bodywork for operation in a very confined space

## Tail Strap with Rubber Reinforcing 3 Tonne



- Rubber reinforced tail strap with claw hook
- Length 4m
- Product code: STCT/3504/CHR

## Short Handled Ratchet 3 Tonne / 150mm



- Short handed ratchet with claw hook
- Length 150mm tail
- Product code: SRCT/3500.15/CH

## Wear Sleeve



- Rubber Faced
- Length 375mm
- Product code: WS/RF

## Webbing Loops



- Full loop design
- These can be used to retain the tail ramps on a vehicle transporter
- Length 520mm
- Product code: S/CRWL

## Diverter Claw



- Steel claw hook
- Product code: S/CRDC





## Car Recovery Straps 4 Tonne / 50mm

Car Recovery CargoStraps are used to secure vehicles being transported on flat bed trucks or trailers that do not have the punch deck on a dedicated car transporter.

The extra short handled ratchet can be operated under a chassis without touching the bodywork. One set per wheel recommended.

15

### Soft Choker with Wear Sleeve



- › Sling design
- › Length 1m
- › Product code: SCR/SC/MDW

### Short Handled Ratchet 4 Tonne / 200mm



- › Claw Hook
- › Length 200mm
- › Product code: SRCR/4500.2/CH

### Tail Strap 4 Tonne



- › Claw Hook
- › Length 3.7m
- › Product code: STCR/4503.7/CH

## Car Recovery Strap Kit

The ultimate car securing set for securing cars/vehicles onto recovery vehicles.



### Car Recovery wheel set comprises:

- › Short handled ratchet with 50mm webbing and claw hook
- › 3.7m adjustable tail end and claw hook
- › Soft choker with medium duty wearsleeve
- › Product code: S/CR

# RATCHET STRAPS

## Internal Tracking Over Centre Buckle Type 2 Tonne / 50mm x 4m

The over centre buckle prevents over tightening of the strap which can ultimately pull the tracking off the side wall of the load area.

- Webbing width 50mm
- Perfect for box vans or vehicles with tracking
- Claw hooks
- Hooks compatible with 1806 tracking
- Product code: SOCBIT/2504/TC



## Internal Tracking Ratchet Type 2 Tonne / 50mm x 4m

Perfect for vehicles with internal anchor points - but can also be used with internal tracking

- Webbing width 50mm
- Perfect for box vans or vehicles with tracking
- Claw hooks
- Hooks compatible with 1806 tracking
- Product code: SRIT/2504/TC



## Internal Cargo Strap 700kg / 50mm

- Webbing width 50mm
- LC 350daN
- For single deck trailers and double deck trailers.
- Over Centre Buckle Type
- Fully compliant with BS EN 12195-2:2001
- Product code:  
SI/0.7504.5/CR 4.5m  
SI/0.7506.5/CR 6.5m



**Please Note:** These straps are limited to 700kg capacity and rely on the ceiling rail for strength.

## Bottom Curtainsider CargoStrap 50mm x 800mm

- Webbing width 50mm
- Webbing length 800mm
- Complete with Closed Rave end fitting
- Used for securing curtain sides
- Product code: S/BS





# ErgoPlus

## The Geared Ergonomic Ratchet

The new geared ErgoPlus ratchet allows the user to achieve an STF (Standard Tension Force) of 950 daN which is nearly double that of a standard Ergo ratchet, allowing far fewer lashings required to achieve the same frictional lashing pressure (see diagram).


Potentially, this is not only a financial advantage, but also a considerable time saving factor.

It works on the principle of the ratchet sprocket or wheel turning a bigger wheel twice the size, offering nearly twice the tension based on the same hand force applied.

Perfect for hauliers carrying very heavy loads such as paper reels or stacks of sheet material where increased frictional tension is required.



**Example of potential savings to be made in the number of lashings required for a sample load.**




# RATCHET STRAPS

## Wear Sleeves

Wear Sleeves greatly increase the longevity of the webbing. They also reduce the friction assisting the balance of tension required to hold a load in place as specified by EN 12195-2:2001.

Our Heavy Duty Wear Sleeve has been approved by UK steel manufacturers to be adequate for the purpose when used in conjunction with LC2500daN rated CargoStraps.

Wear Sleeves can be safely placed high up on the corner of a load using a ProPole with a ProSlider.



### Medium Duty Wear Sleeve

- > 58mm x 300mm
- > Product code: WS/MD



### Heavy Duty Wear Sleeve

- > 70mm x 300mm
- > Product code: WS/HD



### Heavy Duty PVC Wear Sleeve

- > 90mm x 200mm
- > Product code: WS/RUBHD



### Rubber Faced Wear Sleeve



- > 90mm x 375mm
- > Product code: WS/RF





# CARGOSTRAP RECYCLING PROGRAMME

If your CargoStraps show signs of wear including knots, stains, cuts, nicks or fraying, they are potentially dangerous to use and may not comply with the EN Standard.



WHY RISK USING OLD AND DAMAGED STRAPS WHEN YOU CAN USE...

## CargoCycle®

TRUSTED CARGOSTRAP RECYCLING.



You can return them in the boxes they arrived in or we can provide a strap bin for your site to collect the old and damaged straps



When the bin is full it can then be returned to us for recycling



The polyester webbing will be responsibly disposed of while the metal ratchets and claws will be processed, shipped to a steel foundry and smelted back into new products

## THANK YOU FOR YOUR SUPPORT

All of our products are fully EN Standard compliant and are covered by £15 million product liability insurance.


# Made in the UK

Many of our CargoStraps are manufactured to a high standard in our new in-house production facility. This supports the local economy while improving lead times and offering bespoke strap options for specific requirements.

Every strap is produced in accordance with the EN12195-2:2001 standard and covered by our comprehensive £15m product liability insurance for total peace of mind.








SCAN HERE TO FIND OUT MORE  
ABOUT CARGOSTOP PRODUCTION

# RATCHET STRAPS

## Load Choker for 50mm Webbing Strap



Isolate difficult to secure sections of the load regardless of shape.



Secure two or more loads across the bed with a single strap or chain



Compress the entire load while securing down to the vehicle bed

The Load Choker is a tool designed to enhance load security in conjunction with ratchet straps. It allows the strap to 'belly wrap' the load, bundling it together while securing it down to the vehicle bed.

Belly wrapping the load in this way significantly reduces sideways load shift during braking in an emergency stop situation, optimizing the payload and controlling the weight distribution, meaning a much lower risk of a lost load.

As with the straps themselves the load choker is manufactured and tested to the EN 12195-2 standard.

This is stamped into the product and test certificates are produced per batch.



- Ideal for restricting load movement when transporting belly wrapped loads
- Drop Forged Alloy Steel for strength and durability
- Zinc Passivated finish for long service life
- Rolled Edges to maximise service life of straps
- Huge improvement over traditional belly strap method as it creates even tension around the load
- Significantly faster unloading times, particularly with multiple deliveries
- Far greater restraint ability in emergency situations
- Product code: LC/5S



SCAN HERE  
TO FIND OUT  
MORE ABOUT  
CARGOSTOP  
LOAD CHOKERS



# CargoCaptor



The DVSA  
preferred  
load restraint  
solution.



The CargoCaptor system is a simple-to-use DVSA-compliant ratchet-to-ratchet load restraint solution which clamps the load to the trailer floor and is endorsed by the HSL. When not in use, the bungee suspension assembly retracts neatly into the void roof space.



## Key Features & Benefits

- DVSA-compliant load restraint system.
- Endorsed by the HSL
- Clamps the load to the bed of the trailer
- Retracts into unused roof space when not in use
- Slides easily to either end of the trailer
- Simple operation
- Can be retro-fitted



## RATCHET STRAPS – ACCESSORIES



### ProWinder 1 Vice grip



- Very strong steel construction.
- Handles straps up to 20m long.
- Vice grip for bolting on to side rail/rave of truck body
- Product code: PW/1

### ProWinder 2 Hand held



- Portable hand held unit
- Lightweight, yet all steel construction
- Rubber coated handle for positive grip
- Product code: PW/2

### ProWinder 3 Magnetic



- Magnetic Base
- Manufactured in the UK
- Powerful magnets hold winder securely in place on any flat steel surface
- Product code: PW/3

# EDGE PROTECTION

25



Product Description	Cargo Control Experts
Product Code	Proteary Edge Protector
Box Quantity	2000-5
Batch Number	50 pcs
Box Dimensions	1024
Box Weight	16 kg

www.cargo-stop.com

**CargoStop**®

TRUSTED LOAD SAFETY.

# EDGE PROTECTION

## ProStandard

### Medium Duty

- Robust medium duty Edge Protector
- Raised sides to keep CargoStraps in place
- Cut slot allows clipping on to strap at any point
- 132mm x 110mm x 110mm
- Fits our unique ProPole® system
- Product code: E/PS



## ProHeavy

### Heavy Duty

- Recommended and used by some of Europe's leading hauliers
- Raised sides to keep CargoStraps in place
- Zero Pressure internal edge
- 150mm x 220mm x 180mm
- Fits our unique ProPole® system
- Product code: E/PH



## ProCurve

### Heavy Duty

- Curved edge protector designed to fit over rounded edged products like drums and tubes
- 90mm x 150mm x 110mm
- Fits our unique ProPole® system
- Product code: E/PC






## ProCurve Plus

### Heavy Duty Plus

- Manufactured in Norway from a combination of Polypropylene and High Density Polyethylene it will withstand extreme cold (up to -30°) without cracking under tension
- Eco friendly. Made of 100% recyclable product and carries the much acclaimed DEKRA Certification 226/1605/702073/181-6350824)
- 160mm x 120mm x 136mm
- Fits our unique ProPole® system
- Product code: E/PCP



## ProWide Plus

### Heavy Duty

- Zero pressure internal edge
- Slots prevent ice build up
- Strap guides to hold edge protectors in place
- Chemically formulated plastic resists cracking in cold weather
- Rounded edges for safety
- Lightweight, durable and strong
- Concave bottom line designed to retain even pressure along entire length of edge protector even when only tensioned with a single central strap.
- 800mm x 200mm x 150mm
- Product code: E/PWP800



## ProExel

### Ultra Heavy Duty

- Solid extrusion
- Zero pressure internal edge
- Product codes:
 

800mm x 190mm x 150mm	E/PE800
1150mm x 190mm x 150mm	E/PE1150
2400mm x 190mm x 150mm	E/PE2400



## ProWide Connect




### Patent pending CONNECT feature

Clip together technology means the operator can adjust the length of edge protection.

The ProWide Connect is ideal for use with pallets of blocks and bricks. The central strap guides not only keep the webbing in position when tensioning, but also help to keep the edge protectors safely in place if the vehicle is travelling at speed and there is a slight reduction in strap tension.

- Zero pressure internal edge
- Chemically formulated plastic resists cracking in cold weather
- Rounded edges for safety
- Lightweight, durable and strong
- Fits our unique ProPole® system

- Product codes:
  - 400mm x 190mm x 90mm E/PWC400
  - 600mm x 190mm x 90mm E/PWC600
  - 800mm x 190mm x 90mm E/PWC800
  - 1200mm x 190mm x 90mm E/PWC1200




## ProTuff

The NEW ProTuff is an extremely heavy duty edge protector made from unbreakable 'shape memory' plastic. No matter whether it is driven over, bent, crushed or deformed in any way it will attempt to return to its original shape.

With sturdy strap guides at intervals allowing 1, 2 or 3 straps to be used depending on the load.


- 1000mm x 120mm x 80mm
- Product code: E/PT1000



## ProSpacer

The ProSpacer is a unique and innovative expanding unit to fit in the void between stacked pallets of bricks or blocks when loaded with a truck mounted crane grab. The ProSpacer effectively holds the stacked pallets apart when frictionally lashed over the top with CargoStraps. This both prevents the strap becoming loose in transit and ensures when the load gets to the destination there is space for the grab crane to manoeuvre between the stacks. The ProSpacer can be handled at height using the ProPole and ProMulti attachment as shown.

- Extends from 250mm to maximum 370mm  
Dimensions of wings - 400mm W x 190mm D
- Fits our unique ProPole® system
- Product code: OBS/PSPR





# EDGE PROTECTION

## ProFibre

A unique combination of cardboard and fibre makes this Edge Protector a real success. All the benefits of a budget priced cardboard edge protector, but with the added benefit of a fibre core that holds back moisture ingress.

- Composite Edge Protector
- Combination of cardboard and fibre
- Product codes:  
E/PF300 300mm x 120mm x 80mm  
E/PF800 800mm x 120mm x 80mm



Personalised branding & sizing available.  
MOQs may apply.



## Edge Protector Accessories

### ProWide Carrier Kit

- Designed to hold 10 ProWides or ProWide Plus Edge Protectors at 800mm or 1150mm length.
- Designed for under-rave mounting
- Product code: OBS/PWK



Kit features pre-drilled lashing points for bungee straps to restrain the Edge Protectors.



SCAN HERE  
TO FIND OUT  
MORE ABOUT  
CARGOSTOP  
EDGE PROTECTORS

# WORKING AT HEIGHT WITH Boots On The Ground®

31

**CargoStop®**

TRUSTED LOAD SAFETY.

# ProPole®

Climbing up on the back of a truck is both difficult and dangerous. In commercial haulage applications, it is also completely illegal without the correct safety measures in place. These are often cumbersome and very expensive.

When it's simply a case of adjusting straps, or placing or retrieving Edge Protectors, the ProPole® is the solution.

## SAVING MONEY, TIME AND LIVES

Falling from height is one of the most common causes of injury in the transport industry.



INTERCHANGEABLE  
POSITIVE LOCKING  
HEADS



TOUGH  
GLASS FIBRE  
TELESCOPIC HANDLE



FULLY  
ADJUSTABLE  
HEIGHT



RUBBER HANDLE  
PROVIDES GRIP &  
WEAR PROTECTION

The ProPole has a virtually unconditional lifetime warranty which covers both ProPole and accessories.





## ProPole®



The original ProPole is complete with Nylon twist lock fitting to suit the entire ProPole accessory range. Made from durable yet lightweight fibreglass and aluminium with a robust clip mechanism allowing it to extend to twice the compact length.

### > Product codes:


#### ProPole® Extendable

ProPole® Short	3' - 6'	0.9m - 1.8m	PPSHRT
ProPole® Standard	4' - 8'	1.2m - 2.4m	PPS
ProPole® Extra Long	6' - 12'	1.8m - 3.6m	PPXL

#### ProPole® Heavy Duty

ProPole® HD Short	4'	1.2m	PP/HD/SHRT
ProPole® HD Standard	8'	2.4m	PP/HD
ProPole® HD Extra Long	12'	3.6m	PP/HD/XL

## ProPole® Heavy Duty



The new Heavy Duty ProPole is non-extendable to provide even greater strength and stability. Complete with Nylon twist lock fitting to suit the entire ProPole accessory range. Made from durable yet lightweight aluminium for ease of use and longevity.



SCAN HERE TO  
FIND OUT MORE ABOUT  
CARGOSTOP  
PROPOLE

# WORKING AT HEIGHT – PROPOLE ACCESSORIES

## ProHook

Probably the most versatile of all ProPole accessories; with uses well beyond our control. A serious 'must have' for every 'ProPole handler'.

- Lifts up the handles of 1 Tonne bags to facilitate fork truck access
- Manoeuvres internal straps at height
- Retrieves and re-clips fittings that have been stowed on high level lashing points
- Product code: PP/PH



## ProSwivel

Can be adjusted to maintain a 90° angle when placing Edge Protectors on varying height loads especially when the load is in the middle or far side of the truck.

- Use this for the ProStandard Edge Protector (E/PS) and the ProHeavy Edge Protector (E/PH)
- Allows the operator to stand away from the load to place the Edge Protectors in position
- Product code: PP/PSW



## ProPlacer

Use this for the ProStandard Edge Protector (E/PS) and the ProHeavy Edge Protector (E/PH).

- Extremely robust 3mm thick powder-coated aluminium
- Built in strap guide for adjusting strap positions at height
- Product code: PP/PP



## ProCutter

to release packs of product on a truck, while the operator remains standing safely with **'Boots On The Ground'**.

- Product code: PP/PC



## ProLauncher™

The ProLauncher is another one of CargoStop's success stories!

Operation is almost too simple for words and it is capable of launching straps not only over very high loads but also through confined spaces that would take many a deft arm wrenching attempt to achieve otherwise.

We believe our latest version to be the ultimate method of launching a strap across a load. Now lighter with no moving parts and made with strong rustproof powder coated Aluminium.

Simply load a rolled up strap into the ProLauncher, extend the ProPole until the ProLauncher is just above the height of the load, then with a deft flick of the wrist, the reel is projected over the load while the hook remains captive on the ProLauncher and can be simply pulled down and attached before going around the other side to tension up!

- › Light with no moving parts
- › Rustproof powder coated Aluminium
- › Product code: PP/PL



Tail strap loaded, hook in clip, ready to launch!





# WORKING AT HEIGHT – PROPOLE ATTACHMENTS

## ProMulti

Although the ProMulti was designed to handle only the ProWide Edge Protectors in 800mm and 1150mm, it can also handle the ProStandard and ProHeavy Edge Protectors.

- Built in strap guide for adjusting strap positions at height
- Product code: PP/PMU



## ProSlider

By connecting this attachment to a ProPole you will be able to slide a wear sleeve up webbing when a strap has already been positioned over a load, pushing it right to the vital wear point before tensioning up.

- Product code: PP/PSLD



## ProScraper

Heavy duty reinforced all steel scraper, suitable for a variety of floor scraping and cleaning tasks.

- 300mm wide x 1mm thick sturdy resharpenable and replaceable carbon steel blade
- Product code: PP/PSC



## ProScraper 45

All the features of the standard ProScraper plus:

- Head angle fixed at exactly 45° so that it can be used as an effective scraper for the load bed of trucks while the operator has **Boots On The Ground®**.
- Product code: PP/PSC45





## ProExel Placer

The ProExel Placer capably handles our longest edge protector. 800mm width with robust specially shaped grips each end to allow stable handling at height of the 2400mm length ProExel.

- Product code: PP/PE



## ProGripper

This head attachment can handle the 800mm ProFibre Edge Protectors.

- All Aluminium and Nylon construction for strength and durability in all weathers
- The head can be supplied uncoated or powder-coated
- Product code: PP/PG



## ProCurve Placer

Designed specifically for the ProCurve Edge Protector.

- Extremely robust 3mm thick powder-coated aluminium
- Product code: PP/PCP



## ProWide Plus Placer

Holds the ProWide Plus safely at any incline.

- All Aluminium and Nylon construction for strength and durability in all weathers
- Product code: PP/PWPP



# WORKING AT HEIGHT – PROPOLE ACCESSORIES

## ProSweep

Heavy duty wooden broom with bassine bristles, suitable for general warehouse sweeping tasks.


- 450mm wide
- Product code: PP/PSP



## ProSweep90

Special design all steel spigot joins the ProPole® handle at 90°, this makes it easy to sweep the bed of a truck while standing safely with **Boots On The Ground®**.


- 450mm wide
- Product code: PP/PSP90



## ProSqueegee

Professional quality, aluminium armoured shaft for a combination of ultimate strength and lightness.

- Dual action. Microfibre pad on one arm and soft rubber 250mm squeegee blade on the other
- Rust resistant construction.
- Product code: PP/PSQ




## ProSlinger

Pre Slung loads can now be disconnected from a crane hook after loading a truck with **Boots On The Ground®**.

The simple but well engineered design allows the operator to unhook or hook up Duplex or Round Lifting Slings with ease.

- Product code: PP/PSLG







## ProWash

Ultra tough with specially angled super soft bristles for constant contact and no sharp edges to damage paintwork.

- 260mm wide x 180mm depth
- Product code: PP/PW



## ProCam Cleaner

More and more vehicles are being fitted with high level cameras, and the clarity of images is dependent on the lens being kept clean.

- 100mm wide
- Fits within the protected area for the lens
- Microfibre pad and squeegee
- Product code: PP/PCC



## ProFork

This useful addition to the ProPole range is used to remove and reinstall the side rail boards on EuroLiners while the operator stays safe with **Boots On The Ground®**.


- Product code: PP/PFK



## ProMirror

Used for all types of vehicle checks, under, around and above your load and vehicle. Especially useful when checking for roof damage. Also when fitted with an optional LED torch, it can be used for underbody inspections, even in low light.

- Industrial 180mm diameter inspection mirror
- Product codes:
  - With torch PP/PMT
  - Without torch PP/PM



# WORKING AT HEIGHT – PROPOLE ACCESSORIES

## ProBlade



For the ultimate sweep. Even the smallest amount of grit under a load can increase instability. The ProBlade ensures the finest residue is removed.

- Works on both wet and dry surfaces
- Product code: PP/PB

## ProFrosty



Do you ever need to scrape the ice at height? Here's your solution! Tough Ice Scraper with aluminium armoured protection for heavy commercial applications.

- Product code: PP/PF

## ProSno



Tough plastic shovel head. Useful accessory to have on hand for that unexpected snowfall.

- Product code: PP/PSNW

## ProNet Placer




This specialist head has been designed for use with the CargoNet. Using this head, the operator is able to lift the net right on top of the load for safe installation without getting on to the truck itself. Made from a sturdy lightweight and weatherproof combination of Nylon and Aluminium.

- Product code: PP/PNP



## ProPole ProMeasure



- The practical solution for measuring high loads.  
This innovative and easy to use device allows you to check your vehicle height when fully loaded for peace of mind on the road.  
The arm locks at 90° so you get an exact measure of the vehicle/load height.
- Extends up to 5 metres high
  - 1800mm long when retracted
  - The 90° attachment arm is 70cm long
  - Product code: PPPM




SCAN HERE TO  
FIND OUT MORE  
ABOUT PROPOLE  
PROMEASURE



## ProMeasure

The ProMeasure is a practical solution for measuring the height of your load. Made with 4 sliding sections extending up to 5 metres and a safety catch to lock the 90° arm in place while measuring. The rubber base helps avoid damage to the bottom of the measure. Metric and imperial gradation. Supplied with a bag for easy storage and transportation.

- Extends up to 5 metres high
- 1260mm long when retracted
- Product code: OBS/PM





# WORKING AT HEIGHT – PROPOLE ACCESSORIES


## ShadowBoards



The ultimate way to keep track of the ProPole System.  
With our ShadowBoards it is clearly obvious when a ProPole or head attachment is in use.

- Sturdy boards made from a plastic faced aluminium composite panel
- Bespoke for your site, your logo and colours
- ShadowBoard Docking Stations are also available for RatStraps, and other products that benefit from a 'home' when not in use





## ProPole Mounting Bracket

These brackets are designed to be mounted to your vehicles for stowage of your ProPoles. A secure version is available with the facility to lock the ProPole on the bracket - please ask!

> Product code: OBS/PPMB



# WORKING AT HEIGHT – RAT STRAP




## MAKING OVERHEAD LASHINGS MUCH EASIER, SAFER AND QUICKER!

### RatStrap Pro 6

This ingenious tool enables you to take a strap up over a high load and drop it the other side - all without the operator leaving the ground! CargoStop are at the forefront of UK safe load securing practices, and like many of our products, the RatStrap is fully endorsed by Boots On The Ground®, and is covered by our £15million product liability protection.

- No more stepladders
- No more falls from height
- No more fines for standing on the back of vehicles
- Product code: RSP/6



Robust holder to keep the RatStrap securely attached to the vehicle while in transit, with a locking arm and facility to snap on a padlock to prevent theft. Easy to fit and the weather resistant finish will give it years of life, with drainage holes in the bottom of the bracket to prevent any build up of rainwater.





# KITES, NETS & TARPAULINS

45

**CargoStop®**

TRUSTED LOAD SAFETY.

# KITES, NETS & TARPAULINS

## CargoKite

We have invented Floating Sheet Technology™ which following exhaustive calibrated and certified tests allows the CargoKite® to be rated to: EN12195-2:2001.

- Tested in excess of 2 tonnes
- Specifically designed for delicate loads that require a wide area of tension
- Manufactured from Heavy Duty PVC or Punched Mesh, they are one of the only successful methods of securing bags of aggregate or powders on low pallets

### TYPICAL LOADS

- Composite cladding or roof sheets
- Pallets of glass or bottles
- Sacks containing loose material
- Waste cardboard



## CargoKite Standard

- Up to 2.5 tonne capacity
- Tail length 3000mm each end

UP TO  
2.5 TONNE  
CAPACITY



- 900mm x 3500mm
- Product code: CK/S900/3500



## CargoKite Lightweight

- Up to 1 tonne capacity
- Tail length 3000mm each end

UP TO  
1 TONNE  
CAPACITY



- 900mm x 2500mm
- Product code: CK/LW900/2500






# CargoNet

Designed to secure bulk bags safely on the vehicle bed, and the net ensures that product placed in the top of the bulk bags remains safe and secure. Webbing nets are made using polyester webbing of various strengths. These nets are rated to EN-12195-2:2001. Bespoke sizes and strengths are available. All manufactured by us in the UK.



- 5 Tonne break force
- 2.5 Tonne load capacity
- Product code: TP/CN



SCAN HERE  
TO FIND OUT  
MORE ABOUT  
CARGOSTOP  
CARGONETS

Call us for a  
quotation  
01206  
22 44 44



# KITES, NETS & TARPAULINS

## Fine Mesh & Open Mesh Nets

Open Mesh Nets are sometimes known as filament nets. Commonly used by brick & block hauliers - but bear in mind they do not form part of a rated cargo securing application. Fine Mesh Nets are made from punched PVC in various weights up to 500gsm. They are hemmed around the edges with eyelets, and can be made to any size and many colours. Bespoke nets can also be made for skips and rollover sheets.





## Tarpaulins

Looking for bespoke tarpaulins to fit your specific requirements? We can supply any colour, any size and any GSM. Contact our team for more information.



## Stillage Kite



### The stillage issue

This stillage has been loaded with aluminium profiles which protrude out past the end of the stillage by at least 600mm.

They cannot be strapped over the top because the tubing would potentially buckle.



### The stillage kite solution



The solution is to use a stillage kite which wraps around the back of the profile stack.



This is then hooked onto the stillage, making the load secure and under no pressure from strapping.

## Stillage Stirrups

Stillage Stirrups are U shaped fitting which slot either into or over the 4 corner legs of a stillage, allowing Ratchet Straps to securely hold the stillage down without damaging the contents of the stillage (refer to diagram).




# KITES, NETS & TARPAULINS

## CargoSheet

A wide lashing solution constructed from a single sheet which slides easily over the load. Perfect for bulk bags as it covers the load completely to prevent any spillages. Easy to keep clean and can be simply rolled up for storage.

The border and cross straps both retain and secure the load, enabling the sheet to be rated to 2.5T load capacity. Design includes rigid but lightweight nylon rods each end to keep the net from bunching together under tension. Securing is done via ratchet straps attached directly to the loops and tensioned up to a lashing point each side of the load.





# LIFTING EQUIPMENT



51

**CargoStop**®

TRUSTED LOAD SAFETY.

# LIFTING EQUIPMENT



## Duplex Slings 1, 2 & 3 Tonne

- Manufactured from 100% high tenacity polyester material
- Manufactured to BS EN 1492-1:2000
- Minimum breaking load is 7 times the W.L.L.

1 Tonne	
Code	Length
LSD/11	1m
LSD/12	2m
LSD/13	3m
LSD/14	4m
LSD/15	5m
LSD/16	6m
LSD/110	10m

2 Tonne	
Code	Length
LSD/21	1m
LSD/22	2m
LSD/23	3m
LSD/24	4m
LSD/25	5m
LSD/26	6m
LSD/28	8m
LSD/210	10m

3 Tonne	
Code	Length
LSD/31	1m
LSD/32	2m
LSD/33	3m
LSD/34	4m
LSD/35	5m
LSD/36	6m
LSD/38	8m
LSD/310	10m



## Round Slings 1, 2 & 3 Tonne

- Manufactured from 100% high tenacity polyester material
- Manufactured to BS EN 1492-1:2000
- Minimum breaking load is 7 times the W.L.L.

1 Tonne	
Code	Length EWL
LSR/11	1m (2m circ)
LSR/12	2m (4m circ)
LSR/13	3m (6m circ)
LSR/14	4m (8m circ)
LSR/15	5m (10m circ)
LSR/16	6m (12m circ)

2 Tonne	
Code	Length EWL
LSR/21	1m (2m circ)
LSR/22	2m (4m circ)
LSR/23	3m (6m circ)
LSR/24	4m (8m circ)
LSR/25	5m (10m circ)
LSR/26	6m (12m circ)

3 Tonne	
Code	Length EWL
LSR/31	1m (2m circ)
LSR/32	2m (4m circ)
LSR/33	3m (6m circ)
LSR/34	4m (8m circ)
LSR/35	5m (10m circ)
LSR/36	6m (12m circ)



SCAN HERE  
TO FIND OUT  
MORE ABOUT  
LIFTING SLINGS

Bespoke Sling sizes are available on request.

## Lifting Bars (Pair)

The pallet lifting bars can be used by trucks with an on board crane, when no fork truck is available. The lifting bars slide through the pallets and four lifting slings are placed at each end to lift the pallet from the vehicle floor. Each pair of pallet bars is rated to 2000kg and is usually used with 4 duplex 2000kg lifting slings. Stop ends at each end of the bars help to prevent the slings from sliding off.

- An identification label is riveted to one end of each bar
- Powder coated yellow for corrosion resistance and high visibility
- 5ft (1.52m) long
- Product code: IL/PLB



## Shackles

DEE and BOW shackles, either with screw pin or safety pin.

- Grade 6 high tensile steel, quenched and tempered
- Minimum breaking load is 6 times the W.L.L.
- Conforms to EN 13889
- Hot dipped galvanised
- Supplied with proof load certificate, material certificate available on request



Pin Code	Pin Type	Shape	Load (Tonne)
S-078-1-2	Screw	Bow	2
S-078-1-4.75	Screw	Bow	4.75
S-078-1-8.5	Screw	Bow	8.5
S-078-1-13.5	Screw	Bow	13.50



S-078-2-2	Screw	Dee	2
S-078-2-4.75	Screw	Dee	4.75
S-078-2-8.5	Screw	Dee	8.5
S-078-2-13.5	Screw	Dee	13.50



S-079-1-2	Safety	Bow	2
S-079-1-4.75	Safety	Bow	4.75
S-079-1-8.5	Safety	Bow	8.5
S-079-1-13.5	Safety	Bow	13.50



S-079-2-2	Safety	Dee	2
S-079-2-4.75	Safety	Dee	4.75
S-079-2-8.5	Safety	Dee	8.5
S-079-2-13.5	Safety	Dee	13.50



# LIFTING EQUIPMENT

## Recertification of slings



CargoStop are now able to offer thorough inspections of lifting equipment on our clients' behalf. Thorough examinations should be conducted every 6 months for all lifting accessories. Our team have a wide experience in all types of lifting equipment and are trained and certified meeting LOLER regulations which state that such inspections must be undertaken by a competent person. This service is carried out at our head office location whereby we manage stock rotation for the client creating a 'closed loop' system where slings in service are identifiable as having passed inspection for the period. Please ask for further information on how we can benefit you with this innovative safety process.

## Chain Sling Assemblies Multiple Leg

Grade 80 chain slings are assembled to your own requirements.

- We can supply chain slings ranging from 1.5 tonne to 30 tonne
- Assembly can be single leg, 2 leg, 3 leg or 4 leg
- Shorteners are optional



ASSEMBLED  
TO YOUR  
REQUIREMENTS

Please  
ask for a  
quotation.

# CHAINS & LOADBINDERS

55



TRUSTED LOAD SAFETY.

# CHAINS & LOADBINDERS


## Loadbinders

Our Heavy Duty Loadbinders are designed with a smooth ratchet action.

Suitable for Grade 8 and Grade 80 chains from 8mm - 16mm.

EN rated Loadbinders with spring loaded retention pins in the grab hooks are also available.

Please  
ask for a  
quotation.



## Grade 80 CargoChain

- Grade 80, alloy steel, quenched and tempered
- Grade 80 chain complies with European lifting legislation EN818-2
- Black Lacquered finish
- Minimum breaking load is 4 times the W.L.L.
- Proof tested to 2.5 times the W.L.L.
- Marked with the manufacturers identification and material grade

Please  
ask for a  
quotation.

8mm



10mm



13mm



16mm





## Clevis Sling Hook

- Grade 80 alloy steel
- Marked with manufacturer's ID, material grade, size & part number
- Spare safety catch kits and clevis pin sets available
- Safety factor 4 to 1



## Clevis Grab Hook

- Grade 80 alloy steel
- Marked with manufacturer's ID, material grade, size & part number
- Spare clevis pin sets available
- Safety factor 4 to 1



## Clevis Self Locking Hook

- Grade 80 alloy steel
- Marked with manufacturer's ID, material grade, size & part number
- Spare triggers available
- Safety factor 4 to 1



## Swivel Self Locking Hook

- Grade 80 alloy steel
- Ball bearing type, performs full swivel under load
- Marked with manufacturer's ID, material grade, size & part number
- Safety factor 4 to 1



Please  
ask for a  
quotation.

## Load Choker for 8mm Chain



Load Choker restrains loads that are near impossible to secure otherwise. Load Choker is the latest innovation in load restraints.

The 2:1 leverage pulls the load together, restricting movement in all directions. Products of differing shapes and sizes can be quickly and effectively restrained with fewer chains.

Top layers can be securely belly wrapped to help prevent the centre of load shifting.

There is no need to pyramid the stack, therefore maximising payloads.

Different size and different shaped products are easily and safely secured with fewer chains saving time and helping to eliminate safety concerns.



- Designed for use with 8mm (5/16") grade 80 Chain.
- Load Capacity 4000kg
- Manufactured and tested to: EN12195-3
- Product code: LC/8C





# INTERNAL LOADLOCK

[www.cargo-stop.com](http://www.cargo-stop.com)

[www.cargo-stop.com](http://www.cargo-stop.com)

TIGER

**CargoStop®**

TRUSTED LOAD SAFETY.



# INTERNAL LOADLOCK

## Shoring Bars

Heavy duty round spring loaded shoring bar.  
Fits directly into 1806 tracking.

- Diameter: 42mm
- Adjustable length 2005mm to 2617mm
- Product code: IL/SB




## CargoCups

- Designed to fit CargoBeams and CargoFrames®
- Fits standard '1806' tracking
- Galvanised for use in temperature controlled vehicles
- Product code:
  - IL/CCO Open Cup
  - IL/CCL Locking Cup



## CargoFrames

- Very strong – but only weighs 10.6kg
- Fits CargoCups
- Fully repairable in the event of accidental damage
- Hygienic and rustproof
- Ideal for Food Industry - designed to restrain stacks of crates or tall cages
- Product code: IL/CF



## CargoBeams

Heavy duty square edged section 60mm x 40mm.

- Can be laser cut or powder coated for corporate image and to help reduce theft
- Designed to fit into CargoCups
- Standard supply is in the raw steel state, however various coating processes are available
- We can powder coat to any colour in our powder coating facility
- Product code: IL/CBM



## CargoBars



For internal box trailer load restraint. CargoBars can be cut to size in our workshop. If the internal width of your vehicle is less than 2.3m, please specify the width required.

They are capable of being cut right down to fit into Sprinter or Transit van size vehicles - please ask.

- Ratchet action
- Aluminium construction
- Fully adjustable to fit either horizontally or vertically in a box trailer or refrigerated unit
- Extends from 2.2m -2.6m
- Product code: IL/CBR



# INTERNAL LOADLOCK

## 1806 Tracking



Standard galvanised steel '1806' (Keyhole) Track.

- Available in 3m lengths
- Can also be cut to size
- Product code: IL/1806T



Heavy Duty, Universal Tracking Suitable For Use With The Following Products:

- Round & Square Telescopic Shoring Poles
- Garment Rails
- Load Bar Cups
- Decking Brackets
- Various Strap Fittings
- Captive Wire Systems

**Note:** We can also supply other styles of tracking – e.g. E Track or MultiTrack and in different depths (for different sized fittings). Additionally tracking can be supplied in Stainless Steel or Aluminium to special order.

## CargoPlanks

Clips to side rails in curtainsiders to prevent pallet movement.

- Fully adjustable up to 2.7m
- Aluminium construction
- Cast Aluminium locking joints
- Product code: IL/CPLK





# EXPORT

DO NOT STACK  
MORE THAN



+44 (0) 1206224444  
[www.cargo-stop.com](http://www.cargo-stop.com)

63

**CargoStop®**

TRUSTED LOAD SAFETY.

# LOAD PROTECTION – EXPORT

## Dunnage Bags



Fills voids between pallets or ugly freight to prevent movement during transit. Available in both 'One Way' reinforced paper or reusable woven type material.

A wide range of sizes available in both types. Also electric air pumps (Compressors) are available together with all the air lines, inflators, and various other fittings to make the compressors more versatile. Our dunnage bags reliably protect your precious cargo from sliding, falling or tipping over, ensuring optimum transport security when sending your goods by truck or shipping container.

Sizes cm	Reinforced Paper	Reusable Woven	Max. void cm
60 x 90	-	✓	20
60 x 120	✓	✓	20
90 x 120	✓	✓	35
90 x 150	✓	✓	35
90 x 180	✓	✓	40
90 x 225	✓	✓	40
120 x 180	✓	✓	50
120 x 225	✓	✓	50



## CargoCord Composite Strapping



CargoCord is a composite strapping that is fully rated to BS EN 12195 - unlike standard strapping. With CargoCord Composite Strapping, the polyester yarns are additionally sheathed with a plastic coating. Ideal for the static retention of pipes, lintels and timber etc on racking.



➤ Product codes:

CC/CS/19 (19mm) 600 Metre Coil  
CC/CS/25 (25mm) 500 Metre Coil  
CC/CS/32 (32mm) 300 Metre Coil

## Composite Strapping Buckles



The galvanized finish on the metal buckles is recommended for CargoCord Strapping.

➤ Product codes:

CC/CB/19	19mm	1000 Per Box
CC/CB/25	25mm	500 Per Box
CC/CB/32	32mm	250 Per Box

## Tensioning device

For use with CargoCord Strapping.  
Includes cutting device.



➤ Product code: CC/TD/1319

## Dispenser Cart

Dispenser cart for for CargoCord Strapping.



➤ Product code: CC/DC



# LOAD PROTECTION – EXPORT

## ProZorb

Moisture absorbing desiccant. ProZorb is specifically designed for use in steel shipping containers which experience high levels of condensation during transit. As the desiccant absorbs the moisture the powder turns to gel. No risk of leakage of water if the ProZorb pole becomes detached from its position on the journey!

### Typical Applications

Foodstuffs, textiles, electronics, timber, musical instruments, furniture, metal products, paper, leather, clothes, pharmaceuticals, dry powders etc.

- Active Content: Calcium Chloride
- Performance: Up to 300% absorption operates between -5°C to 90°C
- Dry weight: 1000g
- Product and Packaging: Recyclable and environmentally friendly
- Compliance: European Standards Approved.
- ProZorb is certified by SGS, REACH, RoHS, and MSDS
- Product code: OBS/PZP



## Container Bolt Seals

These tamper evident container bolt seals are for use on container doors to keep them secured until they reach their final destination.

- LC 5000 daN
- Bolt type seal
- Pulling load resistance over 19 kN
- ISO 17712 classification Grade H
- High Security Seal (suitable for C-TPAT operations)
- Compliant with new ISO FDIS 17712
- Barrel Core Low Carbon Steel, 18mm dia
- Coating ABS
- Pin Core Carbon Steel, 8mm diameter
- Head 20mm diameter
- Product code: S-016



A large truck tire is visible on the right side of the image, with a stack of white plastic wheel chocks in the foreground. The chocks are arranged in a row, leaning against the tire. The background is dark and out of focus.

# YARD & ONBOARD SAFETY

## EVERYTHING UNDER CONTROL

# YARD & ONBOARD SAFETY

## Steering Wheel Cover

Steering wheel safety cover advising not to start or move vehicle. Ideal for vehicles that are currently being loaded or unloaded.



➤ Product code: OBS/SWH

## CargoPads

Designed to be used by trucks with outrigger feet to spread the load.



➤ Product codes:

OBS/CP400	12 Tonne	400mm x 400mm x 400mm
OBS/CP500	18 Tonne	500mm x 500mm x 500mm

## TIR cables – 34.4m

The definition TIR stands for “Transport International de Merchandises par la Route” and is a Customs Agreement concerning the international transport of goods. TIR-cable is used primarily on curtain sided vehicles. Our TIR-cable is produced according to the directives of the TIR Convention of 1975.



➤ Product code: OBS/TIR

## PVC Load Marker

This safety sign notice is to be displayed on a vehicle to warn other road users that the vehicle has a long, wide or abnormal load.



➤ Product code: OBS/PVCT



## CargoChocks

- Rugged construction.
- Fits standard wheel chock holder.



- Product codes:  
Wheel Chock            OBS/WC  
Wheel Chock Holder   OBS/WCH

## Trok

- The professional, safe and easy way to stow your pallet truck on board
- Made from 100% recycled rubber
- Easy to use and takes up little space
- Product code: OBS/TROK



## Bungee Straps

- Strong steel hooks with durable plastic coating
- 8mm thick elastic cord
- Compliant with BS AU 258:1995
- Product codes:  
OBS/BS400    400mm  
OBS/BS600    600mm  
OBS/BS900    900mm



# YARD & ON-BOARD SAFETY

## CargoMats – Frictional Rubber Mats



CargoMats achieve a  $\mu$  of 0.6 according to BS EN 12195-2:2001. This means that goods placed on them will generally need less lashing than goods placed directly on the deck.

Rubber CargoMats are particularly effective when used with materials that would normally have very limited friction - like steel, hard plastics and some kinds of wood.

The advantage of CargoMats is that they are supplied in strip form so they can be used just at the pressure points of a load or as a row of bearers for larger items. They are roughly the correct size to fit under a pallet. CargoMats are not a one way product - but are designed to be used time after time.

- 8mm x 1000mm x 100mm
- Product code: OBS/CM/0.810.1



## ProStore

- Load Security Storage bag
- Made from durable and weatherproof heavy duty 3mm PVC
- Designed to keep loose items safe on the back of a truck
- WLL of 100kgs
- 4 sturdy loops
- Washable and waterproof
- Velcro fastening straps
- Product codes:

OBS/PSB/S	650mm x 500mm x 400mm	Small
OBS/PSB	1200mm x 500mm x 400mm	Large



## ProWrap – Pallet Wrapping



- Spring loaded hand grip combined with friction plates for powerful, flexible tension control
- Extra long rubber coated grip offers comfortable wrapping from any angle
- Manufactured from lightweight yet durable aluminium
- Removeable end stop for speedy roll changing
- Roll guards protect the edges of the roll from accidental damage

The ProWrap is the last word in effortlessly effective pallet wrapping. Finally, a truly ergonomic long handled shrink wrapping tool offering both speed and safety.

The ProWrap utilises a spring loaded, 'floating' hand grip allowing the user to fluidly adjust tension whilst wrapping a pallet. With all existing models the tension is set and can be adjusted before or after using, but not freely adjusted while in use. Now, with the ProWrap, the operator can simply push the hand grip to engage tension while wrapping, or release again allowing the wrap to freewheel.

The ProWrap offers major ergonomic benefits with a long handle eliminating the need to bend at any point during the wrapping operation.

Shrink wrapping of pallets for transport is a mandatory element of many companies' safe loading policy. Securely wrapped pallets are easier and safer to move and far less likely to break up in the event of an accident.

A recent change in legislation means the law now states all products "must" be secured to the pallet, a requirement which the ProWrap helps make quick, easy and safe.



## YARD & ON-BOARD SAFETY



**Bespoke signs and stickers  
made to your requirements.**

**Contact us for more information.**

## Veltruk Performer Sack Truck with Centre Bar

Affordable aluminium sack truck, designed for every type of environment in the workplace.

- Weight: 10kg
- Puncture-proof wheels
- Additional bar in frame, ideal for smaller boxes
- Dimensions: (H/W/D)  
1300mm x 450mm x 250mm
- Foot plate width: 350mm
- Product code: VT9430-2



## Lightweight Stairclimber Sack Truck

This lightweight stairclimber sack truck has six sturdy solid wheels.

- Weight: 16.2kg
- Capacity: 200kg
- Dimensions: (H/W/D)  
1160mm x 605mm x 780mm
- Foot plate width: 350mm
- Product code: WH/HG3111L



## Pallet Truck

- Weight: 70kg
- Capacity: 2500kg
- Ideal for both sized pallets - Euro and GKN
- Nylon wheels
- Represents excellent value for money
- Fork dimensions: 550mm x 1150mm
- Product code: WH/HGPT1697



## Road Cones

- Available in 480mm and 750mm
- Reliable, stable, self-weighted one piece road cone
- Compression moulded from highly durable PVC
- Product codes:  
TY/TRC460 460mm  
TY/TRC750 750mm



# YARD & ON-BOARD SAFETY

## Spill Kit-20L

Compact size makes these kits ideal for carrying in vehicles. Ideal for cleaning up small leaks and spills quickly and efficiently. High performance absorbent pads and socks Disposal bag and zip-tie included.

### Kit Contents

- 10 Absorbent pads 40cm x 50cm
- 2 Absorbent socks 8cm x 1.2m
- 1 Break Pack carry bag
- 1 Disposal bag & tie
- 1 Instruction / front label



GSK20BP



OSK20BP



CSK20BP

- Product codes:
- SK/GK20      General Purpose
- SK/OK20      Oil & Fuel
- SK/CK20      Chemical

## Spill Kit-50L

Hi-Vis vinyl bag. Zip closure and carry strap/handles. Compact and portable for quick response to spills. High performance absorbent pads and socks. Disposal bag and zip-tie included.

### Kit Contents

- 25 Absorbent pads 40cm x 50cm
- 2 Absorbent socks 8cm x 3m
- 1 Disposal bag & tie
- 1 Instruction and contents sheet
- 1 Kit Label - diamond
- 1 Medium Shoulder bag



CSK50BP



GSK50BP



OSK50BP

- Product codes:
- SK/GK50      General Purpose
- SK/OK50      Oil & Fuel
- SK/CK50      Chemical

## Spill Kit-120L

Wheeled mobile Spill Kits for areas where potentially large volumes of liquid present spill risks. Packed with quick acting absorbents. Ideal for goods-in, bulk liquid storage and delivery points, chemical stores and all other areas where large volumes of liquid are present.

### Kit Contents

- 45 Absorbent pads 40cm x 50cm
- 6 Absorbent socks 8cm x 3m
- 3 Disposal bag & tie
- 1 Instruction and contents sheet
- 1 Kit Label - diamond
- 1 Small Wheelie-bin (120 Litre)



GSK120BP



OSK120BP



CSK120BP

- Product codes:
- SK/GK120      General Purpose
- SK/OK120      Oil & Fuel
- SK/CK120      Chemical



## Screen Wash



Solvent and surfactant blended dilutable screenwash. All-purpose additive for vehicle washer bottles, provides rapid removal of grime and insects, can be diluted 4-1 in winter to prevent freezing and 10-1 in milder seasons.

- > Product codes:
- E-028-3-5 5L
- E-028-3-25 25L

**5L  
25L**

## WD40 Lubricant



- > Product code: OBS/WD40

## UniWipe Clinical Midi Disinfectant Surface Wipes



Highly effective disinfectant cleaning wipes with outstanding microbiocidal performance, Clinical Midi-wipes are active against bacteria, fungi and viruses.

- > Dual action cleaner and disinfectant
- > Kills 99.999% of bacteria
- > Product code: E-022-1

**200  
WIPES**

## Ultra Grime Wipes




- > Super Performance Wipes for Hands, Tools and Surfaces.
- > 100 super-sized wipes per pack
- > Safe on skin
- > Stay wet and useable for over 1 hour out of the packet
- > Will not dry out in the packet
- > Soft, Strong and Absorbent
- > Contains Aloe Vera and Vitamin E to condition the skin
- > Product code: E-022-8

**100  
WIPES**

# Thinking ahead.

Our R&D department develops products and solutions that provide optimal levels of safety for our customers. There are times when an off the shelf product will not safely secure a specialist load. We'll collaborate with you to assess the problem and find a safer solution.



## Our R&D process

STEP

1

### **Idea Generation**

We start by identifying user problems and brainstorming solutions to create a product concept.

STEP

2

### **Strategic Planning**

We conduct market research, build a business case, and create a roadmap for project completion.

STEP

3

### **Product Development**

Working with designers, suppliers, and partners, we bring the product to life.

STEP

4

### **Continuous Refinement**

We use prototypes and user feedback to refine the product until it's market-ready.

STEP

5

### **Product Launch**


We collaborate with marketing, legal, PR, and sales teams to position and introduce the product to the market.

**CargoStop**®

TRUSTED LOAD SAFETY.



# CargoStop Training.

A woman with dark hair tied back, wearing glasses and a high-visibility yellow safety vest over a black long-sleeved shirt, is looking down at a white manual or checklist she is holding. The vest has a 'CargoStop' logo on the back. A man in an orange and blue polo shirt stands behind her, looking at the same manual. They are standing next to a white truck with its rear door open. The scene is outdoors in a parking lot or industrial area.

We can provide product training for  
you and your team.  
Get in touch with us to find out more.

# CargoStop contacts.



## Give us a call

Call the office from 6.30am-5.00pm, Monday-Friday and one of the Sales Team will be very willing to assist with your enquiry.

**01206 22 44 44**



## Buy Online

Anytime day or night! Log in to your account or register a new account and follow the easy step-by-step ordering process.

**[www.cargo-stop.com](http://www.cargo-stop.com)**



## Send us an email

The sales inbox is constantly monitored - email us your requirements and we'll action right away!

**[sales@cargo-stop.com](mailto:sales@cargo-stop.com)**



## Pop it on a fax

Monitored regularly, your faxed order will be picked up and processed immediately.

**01206 22 44 40**



## Chat with us

Enter your enquiry into the chat box online - immediate assistance from one of our customer service team members!

**[www.cargo-stop.com](http://www.cargo-stop.com)**



TRUSTED LOAD SAFETY.

**Head Office:**

Studio House, Heckworth Close  
Severalls Business Park  
Colchester, CO4 9TB

**Warehouse:**

Cargo House, Heckworth Close  
Severalls Business Park  
Colchester, CO4 9TB

