

LOAD SAFETY PRODUCT GUIDE

Ratchet Straps
Tarpaulins & Nets
Edge Protection
ProPole® Range
Cargo Control
Chains & Loadbinders
Lifting Slings & Equipment
Internal Loadlock
Onboard Safety
Sanitisation & Janitorial
Transport Yard & Warehouse
Height Safety
Protective Clothing

CargoStop®
TRUSTED LOAD SAFETY.

CargoStop®



Contents

What DVSA Say	04
What the H&SE Say	04
The Blue Label	05
Ratchet Straps	07
Tarpaulins & Nets	25
Edge Protection	35
ProPole® Range	43
Cargo Control	57
Chains & Loadbinders	63
Lifting Slings & Equipment	67
Internal Loadlock	71
Onboard Safety	77
Sanitisation & Janitorial	89
Transport Yard & Warehouse	93
Height Safety & Protective Clothing	97
How to Order	102
Notes	104

All products are covered by our £15 million product liability insurance.

What DVSA say...

A secure load is attached to the vehicle so that it will not fall off or affect vehicle stability and pose a risk of danger or injury to other road users.

The Road Vehicles (Construction and Use) Regulations 1986 state that...

'the weight, distribution, packing and adjustment of the load of such vehicle or trailer shall at all times be such, that no danger is caused or is likely to be caused to any person in or on the vehicle or trailer or on a road.'

DVSA'S ENFORCEMENT
We will issue a prohibition and fixed penalty of £100 for any load found to be insecure.

What the H&SE say...

- The Road Traffic Act says that anyone who causes or permits a vehicle to be loaded, may be held responsible if the load is dangerous
- If a load is properly restrained, on a stationary tipping truck or trailer, it will not dislodge, even when the deck is fully tilted
- A 'curtain-side' cannot restrain a load properly unless it is part of a certified load restraint system
- If a load falls off a vehicle travelling at 100 km/h and is hit by a vehicle travelling in the opposite direction at 100 km/h, it has the same impact as the load travelling at 200 km/h and hitting the vehicle when it is stationary
- Low friction is high risk!

The Blue Label

A two part Ratchet Strap must have an individual label sewn into each part to conform with the UK and European standard.

This secures all the critical identification in case of an incident. Ratchet Straps do not comply with EN12195-2:2001 without a visible intact data label securely sewn to all detachable sections. Furthermore all labels should have a stitched-in portion which is covered by webbing and can be exposed by unpicking the webbing in the event of an incident where the actual data label has become detached.

CARGOSTOP.	Your fully EN compliant Load Restraint provider
CONTACT DETAILS.	Instant reference for replacement stock
WEBSITE.	Find out more about us, our products and services
LC 2000daN.	The Lashing Capacity when used for Direct Lashing
BF 4000daN.	The Breaking Force when used for Direct Lashing
STF. Important!	Standard Tension Force is crucial for Frictional Lashing
ELONGATION.	Maximum webbing stretch factor as required by EN12195-2:2001
LENGTH.	This relates to the fixed or adjustable end
BS EN12195-2:2001	The European Standard to which our straps fully conform
BATCH NO.	This ensures traceability as required by EN12195-2:2001
DATE.	Date of manufacture
100% POLYESTER.	As required by EN12195-2:2001
NOT FOR LIFTING.	As required by EN12195-2:2001
ACCREDITATIONS.	Our stringent certification inspires confidence



Long life labels

We use a heavy duty embossed vinyl which resists tear out. This in turn increases the legal longevity of CargoStraps.

We also sew in a second safety instructions label.

All products are covered by our £15 million product liability insurance.

Ratchet Straps

Everything under control

Individual Components	08
Light & Medium Duty	09
Heavy Duty	10
Super Heavy Duty	11
Specialist Straps	12
Fall Arrest & Internal Tracking	14
Ultra Heavy Duty	15
Cargo Strap	15
Car Transporter	16
Load Choker	18
CargoCaptor	20
ProLine®	22

Ratchet Only 5Tonne / 50mm

- Ratchet complete with short tail and claw hook
- Fully compliant with EN12195-2:2001
- LC 2500 daN
- Webbing width 50mm
- Webbing Length 300mm

Available with Ergo Handle

BOX OF 20

Code	Type	Length	Detail
S-023-5-2-4	Standard	300mm	Claw Hook
S-026-5-4	Ergo	300mm	Claw Hook

Tail End Only 5Tonne / 50mm

- LC 2500 daN
- Other lengths and strengths available on request

BOX OF 20

Code	Length	Detail
S-006-5-6-4	5T x 6m	Claw Hook
S-006-5-8-4	5T x 8m	Claw Hook
S-006-5-10-4	5T x 10m	Claw Hook
S-006-5-10-2	5T x 10m	Open Rave
S-006-5-12-4	5T x 12m	Claw Hook
S-006-5-15-4	5T x 15m	Claw Hook

Timber Straps

Cambuckle Type

- 35mm webbing
- 5 metre endless strap
- LC 1000 daN

Ratchet Type

- 25mm webbing
- 7 metre endless strap
- LC 1000 daN

BOX OF 50

Code	Length	Detail
S-062-0.6-5	5m	Cambuckle Type
S-005-1-7	7m	Ratchet Type

Medium Duty CargoStrap
2 Tonne / 35mm

Light Duty CargoStraps 700kg / 25mm

- Webbing width 25mm
- LC 350 daN

BOX OF 20

Code	Length	Detail
S-005-0.7-4-4	4m	Claw Hook
S-005-0.7-6-4	6m	Claw Hook

Medium Duty CargoStraps 2 Tonne / 35mm

- Webbing width 35mm
- LC 1000 daN

BOX OF 20

Code	Length	Detail
S-005-2-4-4	4m	Claw Hook
S-005-2-6-4	6m	Claw Hook

Heavy Duty CargoStrap 4 Tonne / 50mm

To comply with the European Standard EN12195-2:2001, the breaking strain of the webbing on a 4Tonne rated strap is 6Tonne. The breaking strain of the metal parts are in excess of 5Tonne.

- Unique double sprocket ratchet for additional strength
- Webbing width 50mm
- Webbing breaking strain is 6000g
- LC2000 daN

BOX OF 5

Also available with Open Rave

Claw Hook	
Code	Length
S-005-4-4-4	4m
S-005-4-6-4	6m
S-005-4-8-4	8m
S-005-4-10-4	10m
S-005-4-12-4	12m
S-005-4-15-4	15m

Open Rave	
Code	Length
S-005-4-4-2	4m
S-005-4-6-2	6m
S-005-4-8-2	8m
S-005-4-10-2	10m
S-005-4-12-2	12m
S-005-4-15-2	15m

ErgoRatchet CargoStrap 4 Tonne / 50mm

Operates in opposite direction to conventional ratchet and is orthopedically proven to reduce muscular strain.

- 10m length
- Standard claw end fitting
- LC 2000 daN
- STF: 500 daN

Code	Length	Detail
S-026-4-10-4	10m	Claw Hook

BOX OF 5

Super Heavy Duty CargoStrap 5 Tonne / 50mm

To comply with the European Standard EN12195-2:2001, the breaking strain of the webbing on a 5Tonne rated strap is 7.5Tonne. Popular in the steel haulage industry where the thicker webbing is more resistant to abrasion. 5Tonne straps are also obligatory in some European countries.

- Unique double sprocket ratchet for additional strength
- Webbing width 50mm
- Webbing breaking strain is 7500g
- LC2500 daN

BOX OF 5

10m length also available with Open Rave

Code	Length	Detail
S-005-5-4-4	4m	Claw Hook
S-005-5-6-4	6m	Claw Hook
S-005-5-8-4	8m	Claw Hook
S-005-5-10-4	10m	Claw Hook
S-005-5-10-2	10m	Open Rave
S-005-5-12-4	12m	Claw Hook
S-005-5-15-4	15m	Claw Hook

ErgoRatchet CargoStrap 5 Tonne / 50mm

Operates in opposite direction to conventional ratchet and is orthopedically proven to reduce muscular strain.

- 10m length
- Webbing width 50mm
- LC 2500 daN
- STF: 500 daN

REVERSE ACTION

BOX OF 5

Code	Length	Detail
S-026-5-8-2	8m	Open Rave
S-026-5-8-4	8m	Claw Hook
S-026-5-10-2	10m	Open Rave
S-026-5-10-4	10m	Claw Hook

Crane Securing CargoStrap 5 Tonne / 50mm - Yellow

BOX OF 5

Designed to secure on board cranes to prevent movement when in transit.

- Fitted with Hook and Keeper end connectors
- Printed with CRANE SECURING ONLY
- 300mm tail on the ratchet
- LC 2500 daN

Code	Length	Details
TP/S-005-5-6-10-1	6m	Hook and Keeper

Flat Snap Hook feature 5 Tonne / 50mm - Orange

- Comes with flat snap hooks
- 600mm tail on the ratchet
- 50mm webbing
- LC 2500 daN

Code	Length	Details
TP/S-005-5-6-9	6m	Snap Hook
TP/S-005-5-8-9	8m	Snap Hook

BOX OF 5

Hook & Keeper feature 5 Tonne / 50mm - Red

- Fitted with Hook and Keeper end connectors
- 300mm tail on the ratchet
- 50mm webbing
- LC 2500 daN

Code	Length	Details
TP/S-005-5-4-10	4m	Hook and Keeper
TP/S-005-5-6-10	6m	Hook and Keeper
TP/S-005-5-8-10	8m	Hook and Keeper

BOX OF 5

Fall Arrest Protection OCB Strap 2 Tonne / 50mm / 8 Metre

Attach the hook to a fixed point at each end of the truck bed at around 1.0m from the floor to provide a safety rail. These straps are specifically designed for the purpose, being printed with 'FALL PROTECTION ONLY' and should not be used for load lashing.

- Twisted Snap Hook
- Fall Arrest Straps are also known as Guard Rail Barrier Straps
- Alternative lengths manufactured bespoke if required

Code	Length	Details
S-029-2-8-4-1	8m	Twisted Snap Hook

BOX OF 15

Internal Tracking Over Centre Buckle Type 2 Tonne / 50mm / 4 Metre

The Over Centre Buckle prevents over tightening of the strap which can ultimately pull the tracking off the wall.

- Perfect for box vans or vehicles with tracking
- 50mm webbing and 2 tonne claw hooks
- Hooks compatible with 1806 tracking

Code	Length	Details
S-029-2-4-4-1	4m	Buckle Type

BOX OF 20

Internal Tracking Ratchet Type 2 Tonne / 50mm / 4 Metre

- Perfect for box vans or vehicles with tracking
- 50mm webbing and 2 tonne claw hooks
- Hooks compatible with 1806 tracking

Code	Length	Details
S-029-2-4-4-4	4m	Ratchet Type

BOX OF 20

Ultra Heavy Duty CargoStrap 10 Tonne / 75mm

These CargoStraps are popular with heavy plant lashing operations. Often regarded as a lighter, quicker and cleaner alternative to Chains and Loadbinders.

- Webbing width 75mm
- LC 5000 daN

Code	Length	Details
S-005-10-8-4	8m	Claw Hook
S-005-10-10-4	10m	Claw Hook

BOX OF 4

Internal Cargo Strap 700kg / 50mm

For single deck trailers and double deck trailers.

- Over Centre Buckle Type
- Fully compliant with BS EN 12195:2:2001
- Webbing width 50mm
- LC 350daN

Please Note: These straps are limited to 700kg capacity and rely on the ceiling rail for strength.

Code	Length	Details
S-029-0.7-4.5-1	4.5m	Buckle Type
S-029-0.7-6.5-1	6.5m	Buckle Type

BOX OF 25

Bottom Curtainsider CargoStrap

- Complete with Closed Rave end fitting
- Used for securing curtain sides
- Webbing width 50mm
- Webbing length 800mm

Code	Length	Details
S-028	800mm	Closed Rave

BOX OF 50

Car Transporter Straps 3 Tonne / 50mm

Our car transporter straps are designed for single and double deck car transporters with tracking or punched decks.

- Heavy Duty straps
- Narrow claw to fit into the pre punched holes on the decking floor or tracking
- Super Duty Wear Sleeve with chunky rubber grip to fit over the tyre
- Tail straps have rubber wear pads sewn through the hook for ultimate longevity
- Extra short handled Ratchet fits under car bodywork for operation in a very confined space
- LC 1500 daN

Tail Strap with Rubber Reinforcing

Code	Length	Details	
S-006-1.5-4-4-1	4m	Claw Hook	BOX OF 10

3 Tonne Short Handled Ratchet

Code	Length	Details	
S-023-4-20-4-1	200mm Tail	Claw Hook	BOX OF 20

Rubber Faced Wear Sleeve

Code	Length	
P-011-5	375mm	BOX OF 50

Webbing Loops

Code	Length	
S-031-1	520mm	BOX OF 100

Diverter Claw

Code	Details	
S-059	Claw Hook	BOX OF 50

Car Recovery Straps 4 Tonne / 50mm

Car Recovery CargoStraps are used to secure vehicles being transported on flat bed trucks or trailers that do not have the punch deck on a dedicated car transporter.

The extra short handled ratchet can be operated under a chassis without touching the bodywork

One set per wheel recommended.

Car Recovery Cargo Strap Set

The ultimate car securing set for securing cars/vehicles onto recovery vehicles. This Car Recovery wheel set comprises of 3 components. A short handled ratchet with 20mm webbing and claw hook, a 3.7m adjustable tail end and claw hook plus a soft choker with medium duty wearsleeve. All three components can be purchased as a set.

Set Code	S-030

Soft Choker with Wear Sleeve

Code	Length	Details	BOX OF
S-007	1m	Sling	50



4 Tonne Short Handled Ratchet

Code	Length	Details	BOX OF
S-024-4-20-4	200mm Tail	Claw Hook	20

Tail Strap

Code	Length	Details	BOX OF
S-006-4-3.7-4	3.7m	Claw Hook	20

Load Choker

Load Choker is the latest innovation in load restraints. The 2:1 leverage pulls the load together, restricting movement in all directions.

Load Choker restrains loads that are near impossible to secure.

Products of differing shapes and sizes can be quickly and effectively restrained with fewer straps or chains.

Top layers can be securely belly wrapped to stop the centre of load shifting forward under braking. There is no need to pyramid the stack, therefore maximising payloads.

Different size and different shaped products are easily and safely secured with fewer straps and or chains saving time and eliminating safety concerns.

- **Ideal for restricting load movement when transporting belly wrapped loads**
- **Drop Forged Alloy Steel for strength and durability**
- **Zinc Passivated finish for long service life**
- **Rolled Edges to maximise service life of straps**
- **Huge improvement over traditional belly strap method as it creates even tension around the load**
- **Significantly faster unloading times, particularly with multiple deliveries**
- **Far greater restraint ability in emergency situations**

Load Choker - 50mm Webbing Strap

Strap Load Chokers are engineered and designed for application with 50mm (2") webbing straps.

- Load Capacity 2500 kg
- Manufactured and tested to: EN12195-2

Code	LC-5-C

Load Choker – 8mm Chain Type

Chain Load Chokers are engineered and designed for application with 8mm (5/16") Grade 80 chain.

- Load Capacity 4000 kg
- Manufactured and tested to: EN 12195-3

Code	LC-8-C

CargoCaptor

The DVSA preferred load restraint solution.



Why Choose CargoCaptor?

The CargoCaptor system is a simple-to-use DVSA-compliant rave-to-rave load restraint solution which clamps the load to the trailer floor and is endorsed by the HSL. When not in use, the bungee suspension assembly retracts neatly into the void roof space.

Key Features & Benefits

- **DVSA-compliant load restraint system.**
- **Endorsed by the HSL**
- **Clamps the load to the bed of the trailer**
- **Retracts into unused roof space when not in use**
- **Slides easily to either end of the trailer**
- **Simple operation**
- **Can be retro-fitted**



ProLine®

Revolutionary patented system for taking Ratchet Straps over a load without having to get up on the truck bed.

- Very simple to install
- Straightforward to use
- Uses standard Ratchet Straps
- No loose components hanging from the ceiling when not in use
- No dangerous bungees
- Safe, quick, strong, and inexpensive
- Made in Britain







The ProLine system is simplicity itself.

Using just 8 components comprising:

- **Two identical TrackRails**
- **Two identical (but different colour) ropes**
- **Four tie off hooks**

Simply install a track rail at the highest point at the front and back of the load area, and connect up the ropes.

Basic Operation

1. Release the blue rope and gently lower it down.
2. Now push the correct quantity of ratchet tail hooks into the appropriate rubber hook holders on the line.
3. Pull on the blue rope and it will lift up taking the attached straps with it.
4. When at the top and held there, use your other hand to pull on the black rope.

Basic Operation (continued)

5. At the same time slowly release the **blue rope** as the **black rope** pulls the carriage across the top of the load
6. In the case of very long cargo areas - such as 40' artic trailers, it may be necessary to pull the black rope at the other end of the vehicle as well to help the ProLine across the load.
7. When the carriage reaches the other end of the TrackRail you can release the blue rope and the line will lower with the attached straps.
8. Go to the other side of the truck and disconnect the hooks from the line and position them accurately on the load and connect the hooks to the appropriate lashing points.







9. When all straps are attached to lashing points and tensioned, pull on the blue rope to raise the rope back up to the top again, then pull on the black rope and the blue rope at the same time to bring it back to the other side again. Keep the blue rope tensioned and out of the way ready to use next time - then tie off.



10. Return to the other side of the truck, connect up ratchets and connect to lashing points and tension.

Tarpaulins & Nets

Filament Nets	26
CargoNet®	27
Tarpaulins	29
Pallet Covers	30
Bungee Straps	30
Cargo Rope	31
Storage Bag	31
Stillage Solutions	32

All products are covered by our £15 million product liability insurance.

Filament Net

Made from high tenacity polyester filament with standard 60mm square mesh. Very strong but not EN Rated due to manufacturing methods. Designed to prevent loose material flying off when goods are in transit. This product should not replace Ratchet Straps. Filament Nets can be supplied with or without elasticated shock cord or border rope.

Code	Dimension
P-034-1	15ft x 9ft (4.57m x 2.74m)
P-034-2	18ft x 10ft (5.49m x 3.05m)
P-034-3	24ft x 12ft (7.32m x 3.66m)

CargoNet®

Designed to secure bulk bags safely on the vehicle bed, and the net ensures that product placed in the top of the bulk bags remains safe and secure.



Economy 80GSM Tarpaulin

Code	Dimension	Colour
T2A	3.5 x 3.5m	Green/Blue
T4	3.5 x 5.4m	Green/Blue/White
T7	4.5 x 6.0m	Green/Blue/White
T8C	5.5 x 9.0m	Green/Blue/White

Mono Cover 170GSM Tarpaulin

Code	Dimension	Colour
MT1	3.0 x 4.0m	Green/Clear
MT3A	4.0 x 8.0m	Green/Clear
MT5	8.0 x 10.0m	Green/Clear
MT6	10.0 x 17.0m	Green/Clear

Extra Heavy Weight 350GSM PE Tarpaulin

Code	Dimension	Colour
BHD3	5.0 x 7.5m	Blue/Beige
BHD5	6.0 x 13.0m	Blue/Beige
BHD6	9.0 x 6.0m	Blue/Beige
BHD7	13.0 x 17.0m	Blue/Beige

Bespoke sizes available

Looking for bespoke tarpaulins to fit your specific requirements?
Contact our team for more information.

ANY SHAPE › ANY SIZE › ANY COLOUR

All products are covered by our £15 million product liability insurance.

Pallet Covers

A new range of durable fitted covers for protecting goods loaded on pallets. Suitable for Euro pallets and standard pallets.

Hard wearing 140 GSM woven polyethylene with aluminium eyelets on each corner to help tie the cover down if needed.

- 140 GSM
- Water resistant
- Cold resistant to -20ºc
- UV protected
- Shrink-proof

Code	Size	Dimensions
PALEUR1	Euro Small	800 x 1200 x 500mm
PALEUR4	Euro X-Large	800 x 1200 x 2000mm
PALUK2	UK Medium	1000 x 1200 x 1000mm
PALUK3	UK Large	1000 x 1200 x 1500mm

Bungee Straps

- Strong steel hooks with durable plastic coating
- 8mm thick elastic cord
- Compliant with BS AU 258:1995

Code	Length
S-020-400	400mm
S-020-600	600mm
S-020-900	900mm

BOX OF 6

Cargo Rope

- Nylon rot proof rope.
- Available in 30m and 220m coils

Code	Diameter	Coil Length
S-025-1-10-30	10mm	30m
S-025-1-10-220	10mm	220m
S-025-1-12-30	12mm	30m
S-025-1-12-220	12mm	220m

Storage Bag

Made from durable and weatherproof heavy duty PVC. Designed for keeping loose items safe on the back of a truck, the bag includes three cambuckles and a weather-tight velcro top fastening flap. The top section also incorporates 4 sturdy loops to pass ratchet straps through to securely hold it to the truck bed either longitudinally or laterally.

- WLL of 100kgs
- 4 sturdy loops
- Size 1200mm x 500mm x 400mm

Code	P-009

Stillage Solutions



Stillage Kite



The stillage issue

This stillage has been loaded with aluminium profiles which protrude out past the end of the stillage by at least 600mm.

They cannot be strapped over the top because the tubing would potentially buckle.

The stillage kite solution

The solution is to use a stillage kite which wraps around the back of the profile stack.



This is then hooked onto the stillage, making the load secure and under no pressure from strapping.

CARGOSTRAP
RECYCLING PROGRAMME

If your CargoStraps show signs of wear including knots, stains, cuts, nicks or fraying, they are potentially dangerous to use and may not comply with the EN Standard.





WHY RISK USING OLD AND DAMAGED STRAPS WHEN YOU CAN USE...

CargoCycle®

TRUSTED CARGOSTRAP RECYCLING

You can return them in the boxes they arrived in or we can provide a strap bin for your site to collect the old and damaged straps.

When the bin is full it can then be returned to us for recycling.

The polyester webbing will be responsibly disposed of while the metal ratchets and claws will be processed, shipped to a steel foundry and smelted back into new products.

All products are covered by our £15 million product liability insurance.

Edge Protection

Plastic Edge Protectors	36
Fibre & Polypropylene Edge Protectors	38
Protective Wear Sleeves	39
CargoKite®	40

ProStandard

- Robust medium duty Edge Protector
- Raised sides to keep CargoStraps in place
- Cut slot allows Edge Protectors to be clipped on to strap at any point
- Fits our unique ProPole® system

Code	Type	Dimension
P-001-2	Medium Duty	132 x 110 x 110mm

PACK 200

ProHeavy

Manufactured larger than industry standard to spread tension force.

- Recommended and used by some of Europe's leading hauliers
- Raised sides to keep CargoStraps in place
- Zero Pressure internal edge
- Fits our unique ProPole® system

Code	Type	Dimension
P-001-3	Heavy Duty	150 x 220 x 180mm

PACK 50

ProHeavy Plus®

ProHeavy Plus is now the first choice when strength and durability are the key factors.

- Manufactured in Norway from a combination of Polypropylene and High Density Polyethylene it will withstand extreme cold (up to -30°) without cracking under tension
- Eco friendly. Made of 100% recyclable product and carries the much acclaimed DEKRA Certification (Cert No. 226/1605/702073/181-6350824)

Code	Type	Dimension	Weight
P-001-3-5	Heavy Duty Plus	225 x 140 x 140mm	370g

ProCurve

Curved edge protector designed to fit over rounded edged products like drums and tubes.

- Fits our unique ProPole® system

Code	Type	Dimension
P-001-4	Heavy Duty Plus	190 x 150 x 110mm

ProWide Connect

We've combined the best features of our ProWide and ProConnect to create the ProWide Connect; ideal for use with pallets of blocks and bricks. The central strap guides keep webbing in position when tensioning; keeping the edge protectors safely in place if the vehicle is travelling at speed and there is a slight reduction in strap tension.

- Zero pressure internal edge
- Particularly popular for use with pallets of blocks and bricks
- Chemically formulated plastic resists cracking in cold weather
- Rounded edges for safety
- Lightweight, durable and strong
- Fits our unique ProPole® system

Code	Dimension
P-001-18-1	400 x 190 x 190mm
P-001-18-2	600 x 190 x 190mm
P-001-18-3	800 x 190 x 190mm
P-001-18-4	1200 x 190 x 190mm

BOX OF 10



Plus new patent pending CONNECT feature

Clip together technology means the operator can adjust the length of edge protection.

ProExel®

The heaviest duty in the range!.

- Solid extrusion.
- Ultra Heavy Duty Edge Protector
- Zero pressure internal edge

Code	Type	Dimension
P-001-17	Ultra Heavy Duty	800 x 190 x 150mm
P-001-9	Ultra Heavy Duty	1150 x 190 x 150mm
P-001-10	Ultra Heavy Duty	2400 x 190 x 150mm
P-001-9-1	Ultra Heavy Duty - ProPole Version	1150 x 190 x 150mm
P-001-10-1	Ultra Heavy Duty - ProPole Version	2400 x 190 x 150mm

ProFibre®

A unique combination of cardboard and fibre makes this Edge Protector a real success. All the benefits of a budget priced cardboard edge protector, but with the added benefit of a fibre core that holds back moisture ingress.

- Composite Edge Protector 800mm
- Combination of cardboard and fibre

Code	Dimensions
E/PF300	300 x 120 x 80mm
P-001-11	800 x 120 x 80mm

Personalised branding & sizing available. MOQs may apply.

ProPoly®

Made from thick Polyurethane foam with a stiff backing. 4 cuts enable it to bend around a fragile or delicate edge offering maximum protection against damage from a tensioned Ratchet Strap.

- Folding plus foam pressed edge
- Polyurethane foam

Code	Dimensions
P-001-8	150 x 325 x 43mm



Wear Sleeves

Wear Sleeves greatly increase the longevity of the webbing. They also reduce the friction assisting the balance of tension required to hold a load in place as specified by EN 12195-2:2001.

Our Heavy Duty Wear Sleeve has been approved by UK steel manufacturers to be adequate for the purpose when used in conjunction with LC2500daN rated CargoStraps.

Wear Sleeves can be safely placed high up on the corner of a load using a ProPole with a ProSlider.

Code	Dimensions
P-011-1-2	300 x 58mm

Light Duty Wear Sleeve

Code	Dimensions
P-011-1	300 x 70mm

Medium Duty Wear Sleeve

Code	Dimensions
P-011-2	300 x 70mm

Heavy Duty Wear Sleeve

Code	Dimensions
P-011-7	300 x 70mm

Heavy Duty Reflective Wear Sleeve

Code	Dimensions
P-011-8	375 x 70mm

Heavy Duty Rubber Wear Sleeve

Code	Dimensions
P-012	90 x 200mm

Ratchet Protector



Code	H-062

PushPull Strap Installer

The PushPull is a very simple device that takes only seconds to thread webbing through a wear sleeve!

CargoKite®

We have invented Floating Sheet Technology™ which following exhaustive calibrated and certified tests allows the CargoKite® to be rated to: EN12195-2:2001.

- Tested in excess of 2 tonnes, incorporating webbing with less than a 4% stretch factor!
- Specifically designed for delicate loads that require a wide area of tension
- Manufactured from punched mesh, they are one of the only successful methods of securing bags of aggregate or powders on low pallets

CargoKite® Standard

- Up to 2.5 tonne capacity
- Tail length 3000mm each end
- For Ratchet only see page 08

Code	Dimensions
S-034-5	900 x 3500mm

CargoKite® Lightweight

- Up to 1 tonne capacity
- Tail length 3000mm each end
- For Ratchet only see page 08

TYPICAL LOADS

- Composite cladding or roof sheets
- Pallets of glass or bottles
- Sacks containing loose material
- Waste cardboard

Code	Dimensions
S-034-6	900 x 2500mm

ProPole®

Makes good friends with your drivers

ProPole®	44
ProPole® Heads	45
RatStrap™ Pro 6	53
ShadowBoards	54

ProPole®

STAY SAFE, WORK SMART, GET AHEAD

Climbing up on the back of a truck is both difficult and dangerous. In commercial haulage applications, it is also completely illegal without the correct safety measures in place. These are often cumbersome and very expensive.

When it's simply a case of adjusting straps, or placing or retrieving Edge Protectors, the ProPole® is the solution.

SAVING MONEY, TIME AND LIVES

Falling from height is one of the most common causes of injury in the transport industry.

Code	Length
H-055-4	4-8 ft / 1200 - 2400mm

ProPole® Standard 4'-8'

Code	Length
H-055-4-6	6-12 ft / 1800 - 3600mm

ProPole® Extra Long 6'-12'

ProHook®

Probably the most versatile of all ProPole accessories; with uses well beyond our control. A serious 'must have' for every 'ProPole handler'.

- Lifts up the handles of 1 Tonne bags to facilitate fork truck access
- Manoeuvres internal straps at height
- Retrieves and re-clips fittings that have been stowed on high level lashing points

Code	H-055-4-1-2

ProSwivel®

Can be adjusted to maintain a 90° angle when placing Edge Protectors on varying height loads and makes it easier when the load is in the middle or far side of the truck.

- Use this for the ProStandard Edge Protector (P-001-2) and the ProHeavy Edge Protector (P-001-3)
- Allows the operator to stand away from the load to place the Edge Protectors in position

Code	H-055-4-1-3

ProPlacer®

Use this for the ProStandard Edge Protector (P-001-2) and the ProHeavy Edge Protector (P-001-3).

- Extremely robust 3mm thick powder-coated aluminium
- Clever cut-out on rear face for engaging and retrieving hooked straps
- Built in strap guide for adjusting strap positions at height

Code	H-055-4-1

ProMulti®

Although the ProMulti was designed to handle only the ProWide Edge Protectors in 800mm and 1150mm, it can also handle the ProStandard and ProHeavy Edge Protectors.

- Built in strap guide for adjusting strap positions at height

Code	H-055-4-1-5

ProSweep™

Heavy duty wooden broom with brassine bristles, suitable for general warehouse sweeping tasks.

Code	H-055-4-1-4

ProSweep90®

Special design all steel spigot joins the ProPole® handle at 90°, this makes it easy to sweep the bed of a truck while standing safely on the ground.

Code	H-055-4-1-4-3

ProSqueegee™

Professional quality, aluminium armoured shaft for a combination of ultimate strength and lightness.

- Dual action. Microfibre pad on one arm and soft rubber 250mm squeegee blade on the other
- Rust resistant construction.

Code	H-055-4-1-6

ProSlinger™

Pre Slung loads can now be disconnected from a crane hook after loading a truck with 'Boots on the Ground'! The simple but well engineered design allows the operator to unhook or hook up Duplex or Round Lifting Slings with ease.

Code	H-055-4-1-2-0



ProMulti Exel™

The head attachment that can handle the 1150mm and 2400mm ProExel Edge Protectors.

- All Aluminium and Nylon construction for strength and durability in all weathers

Code	H-055-4-1-5-1

ProGripper®

This head attachment can handle the 800mm ProFibre Edge Protectors.

- All Aluminium and Nylon construction for strength and durability in all weathers
- The head can be supplied uncoated or powder-coated

Code	H-055-4-1-19-19

ProCurve Placer®

Designed specifically for the ProCurve Edge Protector.

- Extremely robust 3mm thick powder-coated aluminium

Code	H-005-4-1-21

ProWide Plus Placer™

Holds the ProWide Plus safely at any incline.

- All Aluminium and Nylon construction for strength and durability in all weathers
- Lifetime Guarantee in normal working conditions

Code	H-055-4-1-20



ProHeavy Plus Placer®

Being aware of the fact that the ProHeavy Plus is designed for the most arduous of circumstances, we ensured that the ProHeavy Plus Placer was adequately matched in strength!

- ProPole attachment for the ProHeavy Plus
- Made from Aluminium and Nylon for a lifetime of hard work in all weathers

Code	H-055-4-1-31

ProSlider®

By connecting this attachment to a ProPole® you will be able to slide a wear sleeve up webbing when a strap has already been positioned over a load, pushing it right to the vital wear point before tensioning up.

Code	H-055-4-1-9

ProScraper®

Heavy duty reinforced all steel scraper, suitable for a variety of floor scraping and cleaning tasks.

- 300mm wide x 1mm thick sturdy resharpenable and replaceable carbon steel blade

Code	H-055-4-1-7

ProScraper 45®

All the features of the standard ProScraper plus:

- Head angle fixed at exactly 45º so that it can be used as an effective scraper for the load bed of trucks while the operator stands safely on the ground

Code	H-055-4-1-7-1

ProWash™

Ultra tough with specially angled super soft bristles for constant contact and no sharp edges to damage paintwork.

- 260mm wide x 180mm depth

Code	H-055-4-1-10

ProCam Cleaner™

More and more vehicles are being fitted with high level cameras, and the clarity of images is dependent on the lens being kept clean.

- 100mm wide
- Fits within the protected area for the lens
- Microfibre pad and squeegee

Code	H-055-4-1-12

ProFork™

This useful addition to the ProPole range is used to remove and reinstall the side rail boards on EuroLiners while the operator remains safely on the ground!

Code	H-055-4-1-8

ProMirror™

Used for all types of vehicle checks, under, around and above your load and vehicle! Also when fitted with an optional LED torch, it can be used for underbody inspections, even in low light.

- Industrial 180mm diameter inspection mirror

Code	Option
H-055-4-1-25	With Torch
H-055-4-1-25-1	Without Torch

ProBlade™

For the ultimate sweep. Even the smallest amount of grit under a load can increase instability. The ProBlade ensures the finest residue is removed.

- Works both on wet and dry surfaces

Code	H-055-4-1-6-1

ProPocket™

This deep wide ProPole accessory safely holds the bulky but lightweight ProPoly Edge Protector. The high sides prevent the ProPoly Edges from being blown out in the wind as they are being placed or retrieved from under Ratchet Straps on a load.

Code	H-055-4-1-29

ProVoid Placer™

This ProPole accessory head is designed to slip over the side 'wing' of a VoidGard to enable it to be safely placed and retrieved from the load.

Code	H-055-4-1-35

ProHook & Keeper™

The Hook and Keeper end fitting has been very popular in the UK. The Hook slides into the keeper making it virtually impossible to come undone without a physical action.

The challenge is how to connect or remove a Hook and Keeper strap at height without physically handling it? This incredibly complex head fitting incorporating specially angled positioning rails, a 180° hinge and a lockable side latch, actually makes the whole process a very simple operation!

- 180° hinge and a lockable side latch

Code	H-055-4-1-30

ProFrosty™

Do you ever need to scrape the ice at height? Here's your solution! Tough Ice Scraper with aluminium armoured protection for heavy commercial applications.

Code	H-055-4-1-26

ProSno™

Tough plastic shovel head. Useful accessory to have on hand for that unexpected snowfall.

Code	H-055-4-1-36

ProNet Placer

This specialist head has been designed for use with the CargoNet. Using this head, the operator is able to lift the net right on top of the load for safe installation without getting on to the truck itself. Made from a sturdy lightweight and weatherproof combination of Nylon and Aluminium.

Code	H-055-4-1-42

ProLauncher™

The ProLauncher is another one of CargoStop's success stories!

Operation is almost too simple for words and it is capable of launching straps not only over very high loads but also through confined spaces that would take many a deft arm wrenching attempt to achieve otherwise.

ProLauncher™

We believe our latest version to be the ultimate method of launching a strap across a load. Now lighter with no moving parts and made with strong rustproof powder coated Aluminium.

Simply load a rolled up strap into the Launcher, extend the ProPole until the Launcher is just above the height of the truck, then with a deft flick of the wrist, the reel is projected over the load while the hook remains captive on the Launcher and can be simply pulled down and attached before going around the other side to Ratchet up!

- Light with no moving parts
- Rustproof powder coated Aluminium

Code	H-055-4-1-27

Tail strap loaded, hook in clip, ready to launch!

RatStrap™

This ingenious tool enables you to take a strap up over a high load and drop it the other side - all without the operator leaving the ground!

- No more stepladders
- No more falls from height
- No more fines for standing on the back of vehicles



RatStrap™ Pro 6

CargoStop are at the forefront of UK safe load securing practices, and like many of our products, the RatStrap® is fully endorsed by Boots on the Ground®, and is covered by our £15million product liability protection.

Code	H-056-7



RatStrap™ Pro 6 Bag

Handy carrier bag made from heavy duty canvas with full length zip and two carry handles.

Code	H-056-1

All products are covered by our £15 million product liability insurance.

ShadowBoards

Keep your ProPole® system neat and tidy with your very own personalised shadow board.



ShadowBoards

The ultimate way to keep track of the ProPole System! With our ShadowBoards it is clearly obvious when a ProPole or head attachment is in use.

- Sturdy boards made from a plastic faced aluminium composite panel
- Bespoke for your site, your logo and colours
- ShadowBoard Docking Stations are also available for RatStraps, and other products that benefit from a 'home' when not in use

Code	Dimensions
H-057-2	1700 x 1050mm
H-057-3	1700 x 850mm
H-057-4	1700 x 650mm

Pricing is based on 4 ProPole Head attachments and ProPole. Pricing will vary depending on design and size.

PLEASE SEND US YOUR REQUIREMENTS AND WE WILL GET A BESPOKE DESIGN AND QUOTATION FOR YOU.

Cargo Control

Strap Winders	58
PushPull Strap Installer	58
Strap Angle Calculator	59
Edge Protectors	59
Strapping, Buckles & Tensioners	60
Shipping Accessories	61

ProWinder 1

- Very strong all steel construction
- Handles straps up to 20m long
- Vice grip for bolting on to side rail/ rave of truck body

Code	Type
S-019-1-3	Vice Grip



ProWinder 2

- Portable hand held unit
- Lightweight, yet all steel construction
- Rubber coated handle for positive grip

Code	Type
S-019-1-4	Handheld

ProWinder 3

- Manufactured in the UK
- Powerful magnets hold ProWinder 3 securely in place on any flat steel surface

Code	Type
S-019-1-5	Magnetic

Cordless Strap Winder

Our unique hand-held cordless strap winder for the professionals. Roll-up a ratchet strap in 8 seconds and charge it while on the road. Dynello Rewinder II is the perfect companion for those who use ratchet straps daily.

Code	Type
S-019-1-6	Cordless

PushPull Strap Installer

The PushPull is a very simple device that takes only seconds to thread webbing through a wear sleeve!

Code	H-062

Code	H-061

ProAngle Calculator

Strap Angle Calculator

This very useful tool provides invaluable information regarding the angle of the CargoStraps restraining your load. Remember the steeper the angle the greater the tension - so fewer CargoStraps may be required. When used in conjunction with other factors such as the weight of the load and the co -efficient of friction between the load and the load bed, an accurate calculation can be made for the quantity and strength of the CargoStraps required to secure the load. Requires 1 x 9V battery (Not supplied).

Handy pre-drilled lashing points for bungee straps or similar to restrain the Edge Protectors within both carrier kits.

ProWide and ProWide Plus Edge Protector Carrier Kit

These carrier kits are designed to hold 10 ProWides or ProWide Plus Edge Protectors at 800mm or 1150mm length.

- Strong galvanised steel construction

Code	P-004

ProCurve Edge Protector Carrier Kit

These sturdy carriers are designed to hold 10 ProCurve Edge Protectors. Very handy storage when the Edge Protectors are not in use.

- Powder-coated for weather protection

Code	P-006

CargoCord® Composite Strapping

CargoCord is ideal for retaining bundles of timber, pipes and lintels etc in builders and merchants yards. It has a specific advantage over standard strapping in that it is fully rated to BSEN12195 and is covered under our £15m insurance policy.

- One way lashing

Code	Diameter	Tensile Strength	Coil Length
S-096-19	19mm	500 daN	600m
S-096-25	25mm	1000 daN	500m
S-096-32	32mm	1600 daN	300m

With composite strapping the polyester yarns are additionally sheathed with a plastic coating. All composite strapping has 2 coils to a box.

Composite Strapping Buckles

The galvanized finish on the metal buckles is recommended for HotMelt polyester and composite strapping.

Code	Buckle Width	Qty/Box
S-096-1-19	19mm	1000
S-096-1-25	25mm	500
S-096-1-35	32mm	250

Woven Strapping

In contrast to polyester textile strapping, the polyester yarns are not glued but are crosswoven instead.

- LC 5000 daN
- 40mm strap width

Code	Metres/Sack
S-095-40	200m

Woven Strapping Buckles

Drop-forged load buckles for use with one-way lashing with 40mm straps.

Code	Qty/Box
S-095-1-40	30

Tensioning device

For use on textile (composite & woven) strapping up to 40mm. Includes cutting device.

Code	For Strapping Width
S-098-19	13-19mm
S-098-25	13-25mm
S-098-40	25-40mm

Heavy Duty Tensioning device

For use on woven strapping up to 40mm. Includes cutting device.

Code	For Strapping Width
S-098	up to 40mm

Dispenser Cart

Dispenser cart for composite strapping.

Code
S-097

Container Bolt Seal

These tamper evident container bolt seals are for use on container doors to keep them secured until they reach their final destination.

- LC 5000 daN
- Bolt type seal
- Pulling load resistance over 19 kN
- ISO 17712 classification Grade H
- High Security Seal (suitable for C-TPAT operations)
- Compliant with new ISO FDIS 17712
- Barrel Core Low Carbon Steel, 18mm dia
- Coating ABS
- Pin Core Carbon Steel, 8mm diameter
- Head 20mm diameter

Code	Dimensions
S-016	L22.5L x W24 x D31mm

ProZorb®

Moisture absorbing desiccant. ProZorb is specifically designed for use in steel shipping containers which experience high levels of condensation during transit. As the desiccant absorbs the moisture the powder turns to gel. No risk of leakage of water if the ProZorb pole becomes detached from it's position on the journey!

Typical Applications

Foodstuffs, textiles, electronics, timber, musical instruments, furniture, metal products, paper, leather, clothes, pharmaceuticals, dry powders etc.

- Active Content: Calcium Chloride
- Performance: Up to 300% absorption operates between -5°C to 90°C
- Dry weight: 1000g
- Product and Packaging: Recyclable and environmentally friendly
- Compliance: European Standards Approved.
- ProZorb is certified by SGS, REACH, RoHS,and MSDS

Code	BOX OF
P-1000	14

Container Stop

This ingenious device wraps around the two upright bars on a container, to prevent the doors from bursting open if cargo is pressing against them when unlocked.

- 1 Tonne (25mm)
- 1.5 Metre Endless Cam Buckle Strap

Code
S-012

Tamper Evident Seals

Essentially TIR cables are Tamper Evident Seals. Tamper Evident Seals are not security seals as such but they are witness to attempted theft or tampering if cut or broken.

Code
S-011

12 Tonnes Container Lugs

These lugs fit to the upper outside 4 corners of a steel shipping container to enable an empty container to be lifted by crane. Grade 80 Alloy steel.

Code	Type
S-015-1	Left
S-015-2	Right

Dunnage Bags

Fills voids between pallets or ugly freight to prevent movement during transit. Available in both 'One Way' reinforced paper or reusable woven type material.

A wide range of sizes available in both types. Also electric air pumps (Compressors) are available together with all the air lines, inflators, and various other fittings to make the compressors more versatile. **Please ask.**

Code	Material	Dimensions
S-014-1-1	Paper	60 x 120cm
S-014-1-2	Paper	90 x 150cm
S-014-1-3	Paper	120 x 180cm
S-014-2-1	Woven	60 x 120cm
S-014-2-2	Woven	90 x 150cm
S-014-2-3	Woven	120 x 180cm



Chains & Loadbinders

Loadbinders 64
Chain & Hooks 65

Loadbinders

Our Heavy Duty Loadbinders are designed with a smooth ratchet action. Suitable for Grade 8 and Grade 80 chains from 8mm - 16mm.

EN rated Load Binders with spring loaded retention pins in the grab hooks are also available.

Code	Chain Size
S-013-1	8-10mm
S-013-2	10-13mm
S-013-3	13-16mm

Grade 80 CargoChain

- Grade 80, alloy steel, quenched and tempered
- Black Lacquered finish
- Minimum breaking load is 4 times the W.L.L.
- Proof tested to 2.5 times the W.L.L.
- Marked with the manufacturers identification and material grade

Code	Chain Size	Rating
S-009-8	8mm	4000 daN
S-009-10	10mm	6300 daN
S-009-13	13mm	10000 daN
S-009-16	16mm	16000 daN



Chain Sling Assemblies Multiple Leg

Grade 80 chain slings can be assembled to your own requirements.

- We can supply chain slings ranging from 1.5 tonne to 30 tonne
- Assembly can be single leg, 2 leg, 3 leg & 4 leg, and shorteners are optional

Please ask for a quotation.

ASSEMBLED TO YOUR REQUIREMENTS

Clevis Sling Hook

- Grade 80 alloy steel
- Marked with manufacturer's ID, material grade, size & part number
- Spare safety catch kits and clevis pin sets available
- Safety factor 4 to 1

Code	Chain Size
S-004-1-8	8mm
S-004-1-10	10mm
S-004-1-13	13mm
S-004-1-16	16mm

Clevis Grab Hook

- Grade 80 alloy steel
- Marked with manufacturer's ID, material grade, size & part number
- Spare clevis pin sets available
- Safety factor 4 to 1

Code	Chain Size
S-004-3-8	8mm
S-004-3-10	10mm
S-004-3-13	13mm
S-004-3-16	16mm

Clevis Self Locking Hook

- Grade 80 alloy steel
- Marked with manufacturer's ID, material grade, size & part number
- Spare triggers available
- Safety factor 4 to 1

Code	Chain Size
S-004-4-8	8mm
S-004-4-10	10mm
S-004-4-13	13mm
S-004-4-16	16mm

Swivel Self Locking Hook

- Grade 80 alloy steel
- Ball bearing type, performs full swivel under load
- Marked with manufacturer's ID, material grade, size & part number
- Safety factor 4 to 1

Code	Chain Size
S-004-5-8	8mm
S-004-5-10	10mm
S-004-5-13	13mm
S-004-5-16	16mm

Lifting Slings & Equipment

Duplex Slings	68
Round Slings	68
Lifting Bars	69
Shackles	69

All products are covered by our £15 million product liability insurance.

1, 2 & 3 Tonne Duplex Lifting Slings

- Manufactured to BS EN 1492-1:2000
- Minimum breaking load is 7 times the W.L.L.
- Manufactured from 100% high tenacity polyester material

1 Tonne	
Code	Length
L-010-1-1-1	1m
L-010-1-2-1	2m
L-010-1-3-1	3m
L-010-1-4-1	4m
L-010-1-5-1	5m
L-010-1-6-1	6m
L-010-1-7-1	7m
L-010-1-8-1	8m
L-010-1-10-1	10m

2 Tonne	
Code	Length
L-010-2-1-1	1m
L-010-2-2-1	2m
L-010-2-3-1	3m
L-010-2-4-1	4m
L-010-2-5-1	5m
L-010-2-6-1	6m
L-010-2-7-1	7m
L-010-2-8-1	8m
L-010-2-10-1	10m

3 Tonne	
Code	Length
L-010-3-1-1	1m
L-010-3-2-1	2m
L-010-3-3-1	3m
L-010-3-4-1	4m
L-010-3-5-1	5m
L-010-3-6-1	6m
L-010-3-7-1	7m
L-010-3-8-1	8m
L-010-3-10-1	10m

1, 2 & 3 Tonne Round Lifting Slings

- Manufactured to BS EN 1492-1:2000
- Minimum breaking load is 7 times the W.L.L.
- Manufactured from 100% high tenacity polyester material

1 Tonne	
Code	Length EWL
L-010-1-1-2	1m (2m Circ)
L-010-1-2-2	2m (4m Circ)
L-010-1-3-2	3m (6m Circ)
L-010-1-4-2	4m (8m Circ)
L-010-1-5-2	5m (10m Circ)
L-010-1-6-2	6m (12m Circ)

2 Tonne	
Code	Length EWL
L-010-2-1-2	1m (2m Circ)
L-010-2-2-2	2m (4m Circ)
L-010-2-3-2	3m (6m Circ)
L-010-2-4-2	4m (8m Circ)
L-010-2-5-2	5m (10m Circ)
L-010-2-6-2	6m (12m Circ)



3 Tonne	
Code	Length EWL
L-010-3-1-2	1m (2m Circ)
L-010-3-2-2	2m (4m Circ)
L-010-3-3-2	3m (6m Circ)
L-010-3-4-2	4m (8m Circ)
L-010-3-5-2	5m (10m Circ)
L-010-3-6-2	6m (12m Circ)



Bespoke Sling sizes are available on request.

Lifting Bars (Pair)

The pallet lifting bars can be used by trucks with an on board crane, when no fork truck is available. The lifting bars slide through the pallets and four lifting slings are placed at each end to lift the pallet from the vehicle floor.

Each pair of pallet bars is rated to 2000kg and is usually used with 4 duplex 2000kg lifting slings. Stop ends at each end of the bars help to prevent the slings from sliding off.

- An identification label is riveted to one end of each bar
- 5ft (1.52m) long
- Powder coated yellow for corrosion resistance and high visibility

Code	H-038-7

Shackles

DEE and BOW shackles, either with screw pin or safety pin.

- Grade 6 high tensile steel, quenched and tempered
- Minimum breaking load is 6 times the W.L.L.
- Conforms to EN 13889
- Hot dipped galvanised
- Supplied with proof load certificate, material certificate available on request

Green Pin Code	Blue Pin Code	Pin Type	Shape	Load (Tonne)
S-078-1-2	S-076-1-2	Screw	Bow	2
S-078 -1-4.75	S-076-1-4.75	Screw	Bow	4.75
S-078-1-8.5	S-076-1-8.5	Screw	Bow	8.5
S-078-1-13.5	S-076-1-13.5	Screw	Bow	13.50
S-078-2-2	S-076-2-2	Screw	Dee	2
S-078-2-4.75	S-076-2-4.75	Screw	Dee	4.75
S-078-2-8.5	S-076-2-8.5	Screw	Dee	8.5
S-078-2-13.5	S-076-2-13.5	Screw	Dee	13.50
S-079-1-2	S-077-1-2	Safety	Bow	2
S-079-1-4.75	S-077-1-4.75	Safety	Bow	4.75
S-079-1-8.5	S-077-1-8.5	Safety	Bow	8.5
S-079-1-13.5	S-077-1-13.50	Safety	Bow	13.50
S-079-2-2	S-077-2-2	Safety	Dee	2
S-079-2-4.75	S-077-2-4.75	Safety	Dee	4.75
S-079-2-8.5	S-077-2-8.5	Safety	Dee	8.5
S-079-2-13.5	S-077-2-13.50	Safety	Dee	13.50

www.cargo-stop.com
www.cargo-stop.com
TIGER

Internal Loadlock

Shoring Bars/CargoFrames	72
Tracking	73
CargoCups	73
CargoFrames®	74
CargoBeams®	74
CargoBars	75
CargoPlanks	75

Shoring Bars

Heavy duty round spring loaded shoring bar.
Fits directly into 1806 tracking.

- Diameter: 42mm
- Adjustable length 2005mm to 2617mm

Code	Length
H-038-5	2005 - 2617mm

1806 Tracking

Standard galvanised steel '1806' (Keyhole) Track.

- Available in 3m lengths
- Can also be cut to size

Code	Length
H-049	3m

Note: We can also supply other styles of tracking – e.g. E Track or MultiTrack and in different depths (for different sized hooks). Additionally tracking can be supplied in Stainless Steel or Aluminium to special order.

CargoCups

- Designed to fit CargoBeams and CargoFrames®
- Fits standard '1806' tracking
- Galvanised for use in temperature controlled vehicles

Code	Type
H-048-1	Open Cup
H-048-2	Locking Cup

CargoFrames®

Scientific design that has been registered by the UK Intellectual Property Office (UKIPO). One piece all Aluminium construction with magnesium alloy shock resistant welds.

- Very strong – but only weighs 10.6kg
- Fits CargoCups
- Fully repairable in the event of accidental damage
- Hygienic and rustproof
- Ideal for Food Industry - designed to restrain stacks of crates or tall cages

Code	H-069



CargoBeams

Heavy duty square edged section 60mm x 40mm.

- Can be laser cut or powder coated for corporate image and to help reduce theft
- Designed to fit into CargoCups
- Standard supply is in the raw steel state, however various coating processes are available
- We can powder coat to any colour in our powder coating facility, available at CargoStop Engineering

Code	H-038-9

CargoBars can be cut to size in our workshop. If the internal width of your vehicle is less than 2.3m, please specify the width required.

They are capable of being cut right down to fit into Sprinter or Transit van size vehicles - please ask.

CargoBars

For internal box trailer load restraint.

- Ratchet action
- Aluminium construction
- Fully adjustable to fit either horizontally or vertically in a box trailer or refrigerated unit
- Extends from 2.2m -2.6m

Code	H-038-4

CUT TO SIZE

CargoPlanks

Clips to side rails in curtainsiders to prevent pallet movement.

- Fully adjustable up to 2.7m
- Aluminium construction
- Cast Aluminium locking joints

Code	H-046-1

Onboard Safety

Wheel Chock & Holder	78
Crane Pads	78
Pallet Truck Dock 'Trok'	78
Rubber Mats	79
ProPole® & RatStrap Mounting Brackets	80
VoidGard	80
Height Measuring Sticks	81
Steering Wheel Hood	82
TIR Cable	82
Hazard Warning Triangle	82
Wheel Marker Points	82
Spillage Kits	83
Vehicle Signage	86

CargoChocks

Code
E-069

- High impact plastic
- Rugged construction
- Fits standard wheel chock holder

CargoChock Holder

Code
E-069-1

- Wheel chock holder
- Rugged construction
- Easy to install

CargoPads™

Designed to be used by trucks with outrigger feet to spread the load.

Code	Dimensions	Weight
S-037-400-400-40	400 x 400 x 40mm	12 Tonne
S-037-500-500-50	500 x 500 x 50mm	18 Tonne

CargoPad™ Holders

Fully galvanised stowage holster which can bolted down to the vehicle, platform or crane for safe and secure stowage.

- Each holster has space to store two outrigger pads
- Supplied with mounting brackets

(Outrigger pads not included. For illustration purposes only.)

Code	Size
S-037-4	400mm
S-037-5	500mm

Trok - Pallet Truck Dock

The professional, safe and easy way to stow your pallet truck on board.

- Made from 100% recycled rubber
- Easy to use and takes up very little space

Code	E-044

CargoMats - Frictional Rubber Mats

CargoMats achieve an mμ of 0.6 according to BS EN 12195-2:2001. This means that goods placed on them will generally need less lashing than goods placed directly on the deck.

Rubber CargoMats are particularly effective when used with materials that would normally have very limited friction - like steel, hard plastics and some kinds of wood.

The advantage of CargoMats is that they are supplied in strip form so they can be used just at the pressure points of a load or as a row of bearers for larger items. They are roughly the correct size to exactly fit under a pallet. CargoMats are not a one way product - but are designed to be used time after time.

ProPole® Mounting Bracket

These brackets are designed to be mounted to your vehicles for stowage of your ProPoles.

A secure version is available with the facility to lock the ProPole on the bracket - please ask!

Code	P-003

RatStrap Pro® Mounting Bracket

The brackets are designed to be mounted to your vehicles for secure stowage of your RatStraps.

- Padlock not included

Code	H-056-5

VoidGard

Designed to hold pallets of Bricks or Blocks etc apart on the load bed to enable a truck mounted brick grab to fit between the packs when off-loading.

In the past this has been a problem because when the packs are strapped up the top rows of blocks etc pull themselves together which then prevents the brick grab from getting between them.

- Contra rotate the two tough polyurethane discs to extend or contract the width of the VoidGard

Code	P-010-1



ProMeasure™

The practical solution
for measuring high loads.

- 4 sliding sections
- Safety catch to lock arm in place (90 degrees) when measuring
- Unique rubber base to avoid damage to the bottom of the measure
- Metric and imperial graduation
- Overall length when retracted – 5m (16’ 6”)
- Supplied with bag for easy storage and transportation

Code	H-059

ProPole ProMeasure™

Combines the ProPole XL with
built-in height measuring functionality.

- Used to measure the height of the vehicle when loaded.
- Safety catch to lock arm in place (90 degrees) when measuring
- Measures heights up to 5 metres with metric and imperial gradation.

Code	PPPM

Steering Wheel Safety Cover

Steering wheel safety cover advising not to start or move vehicle. Ideal for vehicles that are currently being loaded or unloaded.

Code	E-080

TIR cables - 34.4m

The definition TIR stands for "Transport International de Merchandises par la Route" and is a Customs Agreement concerning the international transport of goods. TIR-cable is used primarily on curtain sided vehicles. Our TIR-cable is produced according to the directives of the TIR Convention of 1975.

Code	S-035-1

Hazard Warning Triangle

Simple folding design combines sturdy four footed base with rubber grip feet and high visibility interlocking triangle.

- Self-standing
- Manufactured from ABS plastic

Code	W-006-1

ProPoint - Wheel Nut Safety Markers

A great idea saving hours of time physically checking wheel bolts, when a visual inspection will immediately reveal any wheel nut movement. Carefully measure 'across the flats' of your wheel nuts to determine which diameter ProPoint you need.

The unique back tab feature enables a ProPoint to be pushed over the head of the nut or bolt easily with uniform pressure on both sides, it also assists in the removal, which can be done simply and quickly without tools.

Code	Size
P-002-32	32mm
P-002-33	33mm



20L Spill Kit

Compact size makes these kits ideal for carrying in vehicles. Ideal for cleaning up small leaks and spills quickly and efficiently. High performance absorbent pads and socks Disposal bag and zip-tie included.

Kit Contents

- 10 Absorbent pads 40cm x 50cm
- 2 Absorbent socks 8cm x 1.2m
- 1 Break Pack carry bag
- 1 Disposal bag & tie
- 1 Instruction / front label

GSK20BP

OSK20BP

CSK20BP

Code	Spill Kit Type
GSK20BP	General Purpose
OSK20BP	Oil & Fuel
CSK20BP	Chemical

50L Spill Kit

Hi-Vis vinyl bag. Zip closure and carry strap/ handles. Compact and portable for quick response to spills. High performance absorbent pads and socks. Disposal bag and zip-tie included.

Kit Contents

- 25 Absorbent pads 40cm x 50cm
- 2 Absorbent socks 8cm x 3m
- 1 Disposal bag & tie
- 1 Instruction and contents sheet
- 1 Kit Label - diamond
- 1 Medium Shoulder bag

CSK50

GSK50

OSK50

Code	Spill Kit Type
GSK20BP	General Purpose
OSK20BP	Oil & Fuel
CSK50	Chemical

120L Spill Kit

Wheeled mobile Spill Kits for areas where potentially large volumes of liquid present spill risks. Packed with quick acting absorbents. Ideal for goods-in, bulk liquid storage and delivery points, chemical stores and all other areas where large volumes of liquid are present.

Kit Contents

- 45 Absorbent pads 40cm x 50cm
- 6 Absorbent socks 8cm x 3m
- 3 Disposal bag & tie
- 1 Instruction and contents sheet
- 1 Kit Label - diamond
- 1 Small Wheelie-bin (120 Litre)

GSK120

OSK120

CSK120

Code	Spill Kit Type
GSK120	General Purpose
OSK120	Oil & Fuel
CSK120	Chemical

HGV Vehicle and Driver ADR Kit

Contains everything required for HGVs to comply with the ADR regulations for carrying any hazardous class (Except explosives and radioactive products which would require additional placards).

Kit Contents

- 85L kit bag
- Fire extinguisher box to take 9kg fire extinguisher
- 9kg dry powder fire extinguisher
- 3kg dry powder extinguisher
- Chemical emergency spill kit 20 litre capacity
- 300mm x 400mm folding hazchem signs x 2
- Wheel chock and instructions in writing

Code	VK010

Vehicle & Driver ADR Kit for up to 7.5 Tonne LGVs

This unique ADR kit contains everything required for LGVs up to 7.5 ton to comply with the ADR regulations for carrying any hazard class except explosives and radioactive products which would require additional placards.

Code	VK0009

Kit contents with size options will need the required size stated with order. Please ask if the size you require is not listed as we will do all we can to accommodate.

Kit Contents

- 1 x Gloves (14" size 10.5)
- 2 x 500ml Eyewash
- 1 x Chemical Suit - (Available sizes: S,M, L, XL, 2XL, 3XL)
- 1 x Goggles
- 1 x Respirator
- 1 x Pair of ABEK Filters
- 1 x Safety Wellington Boots S4 - (Available sizes: 8,9,10,11,12)
- 2 x Hazard Warning Triangles
- 1 x Hi-Vis Waistcoat - (Available sizes: S, M, L, XL, 2XI, 3XL)
- 1 x Neoprene Drain Seal/Cover
- 1 x 2-Part Anti-Static Shovel
- 2 x Flashing beacon
- 2 x 6Volt Batteries for above
- 2 x Waste Disposal Bags & Ties
- 1 x First Aid Kit
- 1 x ATEX Safety Torch
- 1 x Pair of D Cell Batteries
- 1 x Kit Bag 85 litre printed with the words 'ADR Kit' for quick identification
- 1 x Instructions in writing
- 1 x FE0810 Fire extinguisher box
- 1 x FE0260 6kg Dry Powder Extinguisher
- 1 x FE0220 2kg Dry Powder Extinguisher with cab bracket (must be carried in the cab)
- 1 x SC0130 20 litre Chemical Spill Kit
- 2 x VS0040 Folding Hazchem Sign 300mm x 400mm

ADR Kit and PPE Kit in 85 litre ADR Kit Bag

Our most popular comprehensive kit for the ADR driver. All items are contained in a large printed ADR kit bag. To comply with ADR, the vehicle will additionally require extinguishers, wheel chock and regulation plates.

Kit Contents

- Respirator with ABEK filters
- Safety Wellington boots - (Available sizes: 8,9,10,11,12)
- Hazard warning triangles x 2
- Neoprene drain seal/cover
- 2-part anti-static shovel
- Waste disposal bags & ties x 2
- First aid kit in a soft pouch
- Atex safety torch, including batteries
- Gloves
- Hi-Vis waistcoat - (Available sizes: S, M, L, XL, 2XI, 3XL)
- 500ml eyewash x 2
- Disposable chemical suit - (Available sizes: S,M, L, XL, 2XL, 3XL)
- Chemical goggles

Code	DK025

Kit contents with size options will need the required size stated with order.
Please ask if the size you require is not listed as we will do all we can to accommodate.

Class 6.2 Vehicle & Driver ADR Kit

Contains everything for a driver transporting medical/clinical waste needed to comply with ADR 2009 regulations. Contained in a convenient kit bag with the words 'ADR KIT' clearly marked on both sides for quick identification.

Kit Contents

- 1 x Gloves (14" size 10.5)
- 2 x 500ml Eyewash
- 1 x Goggles
- 2 x Hazard Warning Triangles
- 1 x Hi-Vis Waistcoat - (Available sizes: S, M, L, XL, 2XI, 3XL)
- 1 x First Aid Kit
- 1 x ATEX Safety Torch
- 1 x Pair of D Cell Batteries
- 1 x ADR Kit Bag 80 litre, printed with 'ADR KIT'
- 1 x Small Wheel Chock
- 1 x Bio Hazard Kit
- 1 x Chemical Apron
- 1 x Instructions in Writing – Laminated

Code	DK0027

Kit contents with size options will need the required size stated with order.
Please ask if the size you require is not listed as we will do all we can to accommodate.

Stock Vehicle & Yard Signage

We provide a wide range of vehicle and yard signage in Self-adhesive Vinyl and Rigid Plastic.

No Smoking Labels

Smoke free vehicles must display at least one no smoking sign in each vehicle. Sheet of 6 peelable 5mm diameter labels.

Code	Diameter
SA-001-3-1	5mm

Hand Signalling Regulations

1mm Rigid PVC. Essential information and advice relating to regulations and best working practices in the workplace.

Code
SA-001-3-11

Bespoke signage

Code	Sign	Dimensions
SA-001-1-12	Self Adhesive Vinyl	450 x 250mm
SA-001-2-12	Rigid Plastic	450 x 250mm

Yard Signage

Code	Sign Type	Dimensions
SA-001-3-10	Vinyl	200 x 200mm

SA-001-3-9	Rigid Plastic	600 x 450mm

SA-001-3-4	Self-Adhesive Vinyl	300 x 100mm

SA-001-3-5	Self-Adhesive Vinyl	300 x 100mm

SA-001-3-7	Self-Adhesive Vinyl	300 x 100mm

SA-001-3-2	Self-Adhesive Vinyl	300 x 100mm

Vehicle signage

Group A Hazard Signage 150mm

Code SA-002-18

Code SA-002-19

Code SA-002-20

Code SA-002-21

Code SA-002-22

Group B Warning Signs 420mm wide

Code SA-002-4

Code SA-002-5

Code SA-002-6

Group C Vehicle Signs 150mm dia.

Code S-002-23

Code S-002-24

Code S-002-25

Code S-002-26

Group D Vehicle signs 240 x 120mm

Code SA-002-7

Code SA-002-8

Code SA-002-9

Code SA-002-10

Code SA-002-11

Code SA-002-12

Code SA-002-13

Code SA-002-14

Code SA-002-15

Group E Danger Zone Signs 300 x 200mm

Code SA-002-1

Code SA-002-2

Sanitisation & Janitorial

Surface & Hand Wipes 90
Vehicle Chemicals 91

All products are covered by our £15 million product liability insurance.

UltraGrime Wipes

Super Performance Wipes for Hands, Tools and Surfaces.

- 100 super-sized wipes per pack
- Safe on skin
- Stay wet and useable for over 1 hour out of the packet
- Will not dry out in the packet
- Soft, Strong and Absorbent
- Contains Aloe Vera and Vitamin E to condition the skin

Code	Qty
E-022-8	Pack of 100

Uniwipe Clinical Midi Disinfectant Surface Wipes

Highly effective disinfectant cleaning wipes with outstanding microbiocidal performance, Clinical Midi-wipes are active against bacteria, fungi and viruses.

- Tested to EN13727, EN1276, EN14476
- Kills 99.999% of bacteria within 30 seconds

Code	Qty
E-022-1	Pack of 200

Traffic Film Remover

Traffic Film Remover. - Highly active professional product, a very good all-round product that works well on HGVs, buses and coaches, PVC covers and machinery tilts.

Code	Size
E-028-2-25	25 L
E-028-2-200	200 L
E-028-2-1000	1000 L

Screen Wash

Solvent and surfactant blended dilutable screenwash. All-purpose additive for vehicle washer bottles, provides rapid removal of grime and insects, can be diluted 4-1 in winter to prevent freezing and 10-1 in milder seasons.

Code	Size
E-028-3-5	5 L
E-028-3-25	25 L

Diesel Exhaust Additive

AdBlue® is used to remove harmful Nitrous Oxide (NOx) emissions from the exhaust gas of diesel engines which are fitted with Selective Catalytic Reduction after treatment systems. 20 litre containers.

Code	Size
E-028-4-20	20 L

Transport Yard & Warehouse

Sack Trucks	94
Pallet Trucks	95
Road Cones	95

Veltruk Performer Sack Truck with Centre Bar

Affordable aluminium sack truck, designed for every type of environment in the workplace.

- Puncture-proof wheels
- Additional bar in frame, great for smaller boxes
- Foot plate size: 450 W x 250 D mm
- Overall height: 1300mm

Code	VT9430-2

P-Handle Sack Truck with Pneumatic Wheels

This P-handle sack truck with pneumatic wheels is perfect for commercial environments where you want to protect the surface as well as the load. The wheels used with this trolley offer plenty of cushioning, which also makes pushing and pulling less of an effort – the fact that it has a p-handle means you can maintain control with just one hand if you need to do something like open a door.

- Pneumatic wheels
- Wheel guards to avoid wheel-rub
- 250mm metal centre
- Heavy duty, for loads of up to 180kg

Code	HG28040

3-in-1 Sack Truck

This 3-in-1 Sack Truck complete with Pneumatic Tyres has an excellent heavy duty frame construction. Sometimes known as a 3 position sack truck, or three way hand truck.

- Capacity: 250kg
- Weight: 19kg
- Size: 1275 H x 600 W mm
- Foot plate size: 300 x 620mm

Code	HG2850

Lightweight Stairclimber Sack Truck

This lightweight stairclimber sack truck has six sturdy solid wheels..

- Foot plate width: 350mm
- Capacity: 200kg
- Weight: 16.2kg
- Size: 1160 L x 605 W x 780 H mm

Code	WH/HG3111L

Basic Hand Pallet Truck

- Ideal for both sized pallets - Euro and GKN
- Nylon wheels
- Represents excellent value for money
- Overall weight: 70kg
- Fork dimensions: 550mm x 1150mm
- Capacity: 2500kg

Code	HGPT1697

Road Cones

Reliable, stable, self-weighted one piece road cone.

- Available in 500mm and 750mm
- Compression moulded from highly durable PVC
- May also be used in place of triangles for emergency use

Code	Height
W-006-2	500mm
W-006-3	750mm

Height Safety & Protective Clothing

Protective Gloves	98
Safety Helmets	98
Boots	98
Fall Arrest Harnesses & Lanyards	99

Economy Leather Rigger Gloves

Grey chrome tanned leather safety cuff with steering wheel protection patch.

Code	Size(s)
W-004-2	One Size

Premium Leather Rigger Gloves

Premium quality chrome split leather rigger glove. Cotton back and lined palm. Premium glove for general haulage and construction workers.

Code	Size(s)
W-004-3	One Size

Ace Grip Gloves

Orange latex coated glove. Excellent grip in both wet and dry conditions for safe, secure handling. Medium duty offering good puncture and abrasion resistance.

Code	Size(s)
W-004-1	M, L XL, 2XL

Basic Safety Helmet

Quality helmet with plastic harness.

- Manufactured to EN397.
- Colours available: Blue, Red, Yellow, White

Code	W-002-1

Chin Strap

Code	S/PC-02

Driver Safety Boots

Our boots are designed with the driver in mind! The Low Toe Cap makes them far easier to drive in than the conventional style. All boots are available in sizes: 3 -13 (36 - 48)

Oxon

Black Metal-Free Derby Shoe.

- Slip Resistant
- Metal Free
- Composite Midsole
- Composite Toe Cap

Code	W-001-5

Bison

Black Waxy Derby Boot.

- Slip Resistant
- Composite Toe Cap
- Steel Midsole
- Heat Resistant

Code	W-001-4

Puma

Honey Nubuck Boot.

Code	W-001-1

- Steel Toe Cap
- Brass Eyelets
- Steel Midsole
- Heat Resistant

Otter

Black Metal-Free Derby Boot.

Code	W-001-2

- Lightweight and slip resistant!.
- Shock absorbing features
- Designed for commercial drivers
- Composite Toe Cap and Midsole

Rhino

Black 5 D-ring Scuff Cap Boot.

Code	W-001-3

- Slip Resistant
- Composite Toe Cap
- Steel Midsole

3 Point Comfort Full Body Harness

- Front & rear D-rings
- Automatic buckles
- Fully adjustable shoulder & thigh straps
- Shoulder and thigh straps differentiated by a dual colour scheme
- Ideally positioned sit strap for extended comfort

Code	Size
FA-10-111-00	S-L
FA-10-111-01	L-XXL

2 Point High-Visibility Full Body Harness

- Front & rear attachment points
- Adjustable zip system
- Automatic buckles
- Front attachment
- Fully adjustable vest, shoulder & thigh straps
- Inside storage pocket for straps when not in use
- Ideally positioned sit strap for extended comfort
- Reflective strips down the front for visibility & durable zipper

Code	Size	Colour
FA-10-302-00	Universal	Yellow
FA-10-303-00	Universal	Orange

Shock Absorbing Webbing Lanyard

- 30mm wide polyester webbing
- 35mm webbing shock absorber
- Reduces fall impact to less than 6 kN
- Loops protected by an abrasion resistant tubular webbing
- Fitted with steel scaffold hook one end and steel karabiner other end

Code	Length
FA-30-304-18	1.8m



Adjustable Work Positioning Webbing Lanyard

- 30mm wide polyester webbing
- Loops protected by an abrasion resistant tubular webbing
- Fitted with steel karabiner one end and steel snap hook at the other end
- Forged alloy steel ring adjuster, for adjusting length of lanyard

Code	Length
FA-40-901-20	2m

Kernmantle Rope Restraint Lanyard

- 12mm kernmantle rope
- Breaking strength: 22 kN

Code	Length
FA-40-500-10	1m
FA-40-500-15	1.5m
FA-40-500-18	1.8m

Made in the UK

We are proud to say that many of the products in our range are designed and manufactured in the UK. We have partnered with several manufacturers which allows us to create bespoke products, researched, developed and manufactured to meet a customer's specific requirements.





Our R&D Process

Phase 1.

- Customers decision maker contacts CargoStop and is put in touch with our R&D team.
- We listen as you explain the problem that you are facing. In many cases we are able to recommend items that we have already made for customers who have had similar issues in the past.
- Not always of course – and it may require a site visit – which we will do anywhere in the UK free of charge.
- If at this stage we are confident that we could come up with a solution for you, we go over this verbally, and submit a ballpark costing. If this is acceptable to you we explain Phase 2 and the costs you will incur.

Phase 2.

- At this point we expect a commitment from our customer, to be discussed on a project-by-project basis.
- On receipt of this we will produce some rough sketches to get the 'bones' of the design down.
- When honed to a basic design, and agreed by our customer, we will then produce a CAD (Computer Aided Design) drawing of the proposal - if needed - at no additional charge. This is then worked on between us until you as a customer are happy with it.

Phase 3.

- We now produce - and charge for - a prototype (if required) to make sure it actually works as designed.

Phase 4.

- If the project requires multiple units – we look at production methods both in the UK and abroad. We can at this stage discuss costs in more detail, quantities, MOQs for imported product, and the associated lead times.
- **Finally we go on to full production.**

All products are covered by our £15 million product liability insurance.

How to Order

Give us a call

Call the office from 6.30am-5.00pm, Monday-Friday and one of the Sales Team will be very willing to assist with your enquiry.

01206 22 44 44

Buy Online

Anytime day or night! Log in to your account or register a new account and follow the easy step-by-step ordering process.

www.cargo-stop.com

Send us an email

The sales inbox is constantly monitored - email us your requirements and we'll action right away!

sales@cargo-stop.com

Pop it on a fax

Monitored regularly, your faxed order will be picked up and processed immediately.

01206 22 44 40

Chat with us

Enter your enquiry into the chat box online - immediate assistance from one of our customer service team members!

www.cargo-stop.com

Collect from our Colchester warehouse!

CO3 4QX

1 Pedders Close
Stanway
Colchester, CO3 4QX

All products are covered by our £15 million product liability insurance.

Notes

Notes

Notes

Notes

CargoStop®

TRUSTED LOAD SAFETY.

Head Office:
Studio House, Heckworth Close
Severalls Business Park
Colchester, CO4 9TB

Warehouse:
Cargo House, Heckworth Close
Severalls Business Park
Colchester, CO4 9TB